

15P/216/2

Question Booklet No. 3641

(To be filled up by the candidate by blue/black ball-point pen)

Roll No. 

--	--	--	--	--	--	--	--	--

Code No. 484

Roll No.

(Write the digits in words)

Serial No. of OMR Answer Sheet

Day and Date

(Signature of Invigilator)

**INSTRUCTIONS TO CANDIDATES**

- (Use only blue/black ball-point pen in the space above and on both sides of the Answer Sheet)
- Within 10 minutes of the issue of the Question Booklet, check the Question Booklet to ensure that it contains all the pages in correct sequence and that no page/question is missing. In case of faulty Question Booklet bring it to the notice of the Superintendent/Invigilators immediately to obtain a fresh Question Booklet.
  - Do not bring any loose paper, written or blank, inside the Examination Hall except the Admit Card without its envelope.
  - A separate Answer Sheet is given. It should not be folded or mutilated. A second Answer Sheet shall not be provided. Only the Answer Sheet will be evaluated.
  - Write your Roll Number and Serial Number of the Answer Sheet by pen in the space provided above.
  - On the front page of the Answer Sheet, write by pen your Roll Number in the space provided at the top, and by darkening the circles at the bottom. Also, wherever applicable, write the Question Booklet Number and the Set Number in appropriate places.
  - No overwriting is allowed in the entries of Roll No., Question Booklet No. and Set No. (if any) on OMR sheet and also Roll No. and OMR Sheet No. on the Question Booklet.
  - Any change in the aforesaid entries is to be verified by the invigilator, otherwise it will be taken as unfair means.
  - Each question in this Booklet is followed by four alternative answers. For each question, you are to record the correct option on the Answer Sheet by darkening the appropriate circle in the corresponding row of the Answer Sheet, by ball-point pen as mentioned in the guidelines given on the first page of the Answer Sheet.
  - For each question, darken only one circle on the Answer Sheet. If you darken more than one circle or darken a circle partially, the answer will be treated as incorrect.
  - Note that the answer once filled in ink cannot be changed. If you do not wish to attempt a question, leave all the circles in the corresponding row blank (such question will be awarded zero mark).
  - For rough work, use the inner back page of the title cover and the blank page at the end of this Booklet.
  - Deposit only the OMR Answer Sheet at the end of the Test.
  - You are not permitted to leave the Examination Hall until the end of the Test.
  - If a candidate attempts to use any form of unfair means, he/she shall be liable to such punishment as the University may determine and impose on him/her.

निर्देश हिन्दी में अन्तिम आवरण-पृष्ठ पर दिये गए हैं।

(No. of Printed Pages : 32+2)

<https://pathfinderacademy.in/>

15P/216/2

**No. of Questions/प्रश्नों की संख्या : 150**

**Time/समय : 2 Hours/घण्टे**

**Full Marks/पूर्णांक : 450**

**Note :**

- (1) Attempt as many questions as you can. Each question carries 3 marks. One mark will be deducted for each incorrect answer. Zero mark will be awarded for each unattempted question.

अधिकाधिक प्रश्नों को हल करने का प्रयत्न करें। प्रत्येक प्रश्न 3 अंक का है। प्रत्येक गलत उत्तर के लिए एक अंक काटा जाएगा। प्रत्येक अनुत्तरित प्रश्न का प्राप्तांक शून्य होगा।

- (2) If more than one alternative answers seem to be approximate to the correct answer, choose the closest one.

यदि एकाधिक वैकल्पिक उत्तर सही उत्तर के निकट प्रतीत हों, तो निकटतम सही उत्तर दें।

1. The silk fibres are made up of

- (1)  $\alpha$ -keratin      (2)  $\beta$ -keratin      (3) collagen      (4) elastin

2. Which of the following silk is produced only in India?

- (1) Eri silk      (2) Tasar silk      (3) Muga silk      (4) Oak silk

4)

15P/216/2

3. Propolis is obtained from
- |                           |                         |
|---------------------------|-------------------------|
| (1) <i>Apis mellifera</i> | (2) <i>Apis dorsata</i> |
| (3) <i>Apis indica</i>    | (4) All of the above    |
4. In bees, dance is meant for
- |                                 |                     |
|---------------------------------|---------------------|
| (1) commensalism                | (2) communication   |
| (3) visiting the source of food | (4) social activity |
5. Chemically speaking, lac is a
- |                  |                     |
|------------------|---------------------|
| (1) oligopeptide | (2) oligosaccharide |
| (3) resin        | (4) lipoprotein     |
6. Which is not the constituent of lac?
- |         |         |         |           |
|---------|---------|---------|-----------|
| (1) Dye | (2) Wax | (3) Gum | (4) Resin |
|---------|---------|---------|-----------|
7. Induced breeding in fishes is done by the hormone secreted by
- |           |               |             |             |
|-----------|---------------|-------------|-------------|
| (1) gonad | (2) pituitary | (3) adrenal | (4) thyroid |
|-----------|---------------|-------------|-------------|
8. *Gambusia affinis* is the predator of
- |                     |                  |
|---------------------|------------------|
| (1) caterpillars    | (2) small fishes |
| (3) mosquito larvae | (4) tadpoles     |

(344)

9. Which one of the following is most recently domestical?  
(1) Sheep (2) Ongole (3) Silkworm (4) Turkey
10. Which of the following is not an 'indigenous' breed of fowl?  
(1) Ascel (2) Brahma (3) Ghagus (4) Chittagong
11. An exotic breed of cow is  
(1) Holstein-Friesian (2) Ongole  
(3) Halliker (4) Deoni
12. Which of the following is not a breed of goat?  
(1) Jamunapari (2) Bar-bari (3) Rath (4) Beetal
13. Largest field rat found in India is  
(1) *Bandicota bengalensis* (2) *Bandicota indica*  
(3) *Nesokia indica* (4) *Tetra indica*
14. Zoological name of flour beetle is  
(1) *Tribolium* (2) *Sitophilus* (3) *Trogoderma* (4) *Callosobruchus*



15P/216/2

15. Pesticides with very low biodegradation but strong affinity for fatty tissues are
- |                     |                      |
|---------------------|----------------------|
| (1) Triazines       | (2) Pyrethroids      |
| (3) Organochlorines | (4) Organophosphates |
16. In Linnean hierarchy, which of the following taxonomic categories will come between class and order?
- |            |                   |
|------------|-------------------|
| (1) Tribe  | (2) Cohort        |
| (3) Family | (4) Species group |
17. A taxonomic level concerned with the arrangement of species into a natural system of lower and higher taxa is known as
- |                    |                    |
|--------------------|--------------------|
| (1) Alpha taxonomy | (2) Beta taxonomy  |
| (3) Gamma taxonomy | (4) Omega taxonomy |
18. The level of taxonomy that deals with various biological aspects of taxa, ranging from the study of intraspecific populations to studies of speciation and evolutionary rates and trends is known as
- |                    |                    |
|--------------------|--------------------|
| (1) Alpha taxonomy | (2) Beta taxonomy  |
| (3) Gamma taxonomy | (4) Omega taxonomy |
19. Which of the following taxonomic categories is the lowest obligatory higher category and the lowest of all categories established strictly by comparative data?
- |             |           |           |            |
|-------------|-----------|-----------|------------|
| (1) Species | (2) Genus | (3) Order | (4) Family |
|-------------|-----------|-----------|------------|

(344)

*Labeo*, *Catla* and *Cirrhinus* are three sympatric freshwater fishes and they belong to the order Cypriniformes. To which taxonomic category (Linnean hierarchy), these three fishes belong?

- (1) Species                      (2) Genus                      (3) Family                      (4) Subspecies

In taxonomy, tautonym stands for

- (1) same generic and species name  
(2) different genus and species name  
(3) same species and subspecies name  
(4) a species without any race

2. Six sibling species of *Anopheles maculipennis* complex have been identified on the basis of inhabiting different types of water bodies. This feature of identifying species is based on

- (1) ecological characters                      (2) behavioural characters  
(3) molecular characters                      (4) typological characters

3. Which species concept utilizes morphological characters to distinguish between species?

- (1) Biological                      (2) Ecological                      (3) Evolutionary                      (4) Typological

4. The term species was given by

- (1) John Ray                      (2) Linnaeus                      (3) Darwin                      (4) Aristotle

(P.T.O.)

15P/216/2

- 25.** Who defined species as "Group of interbreeding natural populations that reproductively isolated from other such group"?
- (1) Stebbins              (2) Linnaeus              (3) Dobzhansky    (4) Mayr
- 26.** *Naja naja*, *Gorilla gorilla*, *Rita rita* are the scientific names with same generic and species names. Such pattern of nomenclature is known as
- (1) Tautonym                                  (2) Synonym  
(3) Homonym                                  (4) Monotypic species
- 27.** Members of a species may have polymorphic forms due to sexual dimorphism, colouration and availability of various mutants in the population. Which of the following species concept considers each morphological form to be a separate species?
- (1) Biological species concept  
(2) Typological species concept  
(3) Evolutionary species concept  
(4) Ecological species concept
- 28.** A gradual geographic change of a character in a series of contiguous populations is known as
- (1) phylogenetic variation                                  (2) dichotomous variation  
(3) discontinuous variation                                  (4) clinal variation

15P/216/2

29. Flash pattern are species specific in most genera of fire flies and have been used by systematists to unmask sibling species. This particular trait for taxonomic significance comes under
- (1) molecular character
  - (2) morphological character
  - (3) ecological character
  - (4) behavioural character
30. Temporal isolation refers to
- (1) isolation through time
  - (2) isolation through temperature
  - (3) isolation through space
  - (4) isolation through strength
31. Which one of the following four scientists drew attention to the 4 areas of enquiry-causation, development, evolution and function of behaviour?
- (1) Niko Tinbergen
  - (2) Konrad Lorenz
  - (3) Karl von Frisch
  - (4) J. von Uexküll
2. Some populations of monarch butterflies migrate, form roosting colonies and diapause while other populations migrate but do not form colonies or enter into diapauses and still other monarch populations do not migrate at all. Which of the following questions is best related to the ultimate causation?
- (1) Which neural mechanisms are involved in the regulation of these behaviours?
  - (2) What are the environmental cues affecting migratory behaviour?
  - (3) Why should there be the migratory and non-migratory forms of the monarch?
  - (4) Do monarch butterflies use visual cues while locating the roosting sites?



15P/216/2

- 33.** Fixed action patterns are
- (1) learnt from conspecifics
  - (2) learnt only from the parents
  - (3) shown even by animals reared in isolation
  - (4) shown only by adult animals
- 34.** Which one of the following is not a characteristic feature of agonistic behavioural pattern?
- (1) Attack
  - (2) Submission
  - (3) Threat display
  - (4) Grooming
- 35.** An experiment was conducted by Dethier and his co-workers to study feeding mechanism in blow flies. When they cut a small nerve connecting the foregut and the brain the flies became permanently hungry. The technique used was
- (1) psychopharmacology
  - (2) transection
  - (3) lesion
  - (4) neural stimulation
- 36.** The Ramsar convention aims at
- (1) wetland conservation
  - (2) migratory bird conservation
  - (3) putting a ban on wildlife trade
  - (4) sustainable use of natural resources

(344)

37. The State bird of Uttar Pradesh is the

(1) Asian Koel

(2) Sarus Crane

(3) Great Hornbill

(4) House Sparrow

38. Biodiversity hotspots in India are located in

(1) Andaman and Nicobar Islands

(2) Lakshadweep Islands and Deccan Peninsula

(3) Western Ghats and Eastern Himalayas

(4) Eastern Ghats and Brahmaputra Valley

39. Keystone species

(1) exert impact disproportionate to abundance

(2) detect presence of pollutants

(3) are prone to extinction

(4) are of direct human value

40. High level of endemism is a characteristic feature of

(1) mountains

(2) islands

(3) plains

(4) deserts

14)

15P/216/2

- 41.** The coordinated interaction in the construction of organs by one group of cells changing the behaviour of an adjacent set of cells, is known as
- |                  |                     |
|------------------|---------------------|
| (1) induction    | (2) determination   |
| (3) coordination | (4) differentiation |
- 42.** Proteins secreted by a cell or a group of cells that alter the behaviour or process of differentiation of adjacent cells are called as
- |                       |                       |
|-----------------------|-----------------------|
| (1) autocrine factors | (2) paracrine factors |
| (3) endocrine factors | (4) factors           |
- 43.** A labile phase when a cell or tissue is placed in neutral environment follows a particular path of differentiation, is termed as
- |                              |                               |
|------------------------------|-------------------------------|
| (1) neutral specification    | (2) syncytial specification   |
| (3) autonomous specification | (4) conditional specification |
- 44.** The ability of cells, to achieve their respective fate of differentiation by interaction with other cells, is known as
- |                              |                                 |
|------------------------------|---------------------------------|
| (1) inductive determination  | (2) facultative differentiation |
| (3) autonomous specification | (4) conditional specification   |
- 45.** A cytoplasm that contains many nuclei is called a
- |                   |                       |
|-------------------|-----------------------|
| (1) syncytium     | (2) blastoderm        |
| (3) trophectoderm | (4) polymorphonuclear |

46. The cortical granule reaction seen in sea urchin eggs helps in blocking polyspermy. This is a
- (1) fastest block
  - (2) slower mechanical block
  - (3) intermediate block
  - (4) membrane potential change
47. The molecule which acts as releaser of calcium from intracellular compartments for activation of egg metabolism is
- (1) diacylglycerol
  - (2)  $\text{NAD}^+$
  - (3) inositol 1,4,5-triphosphate
  - (4) cyclin 3
48. Zona glycoproteins 1, 2 and 3 of mouse are present on
- (1) sperm head
  - (2) egg nuclear membrane
  - (3) sperm mitochondrial membrane
  - (4) egg surface
49. Prior to sperm entry the mature oocyte completes
- (1) first meiotic division shedding one polar body
  - (2) second meiotic division shedding two polar bodies
  - (3) diplotene and comes out of arrest
  - (4) a mitotic division

4)



15P/216/2

50. Inturning of cell sheet over the basal surface of an outer layer during early embryonic development, is terms as  
(1) ingression      (2) involution      (3) delamination      (4) epiboly
51. Meroblastic cleavage is seen in  
(1) isolecithal eggs      (2) alecithal eggs  
(3) telolecithal eggs      (4) mesolecithal eggs
52. A blastocoel is formed during  
(1) gastrulation      (2) neurulation  
(3) annulation      (4) cleavage divisions
53. The main body of the chick embryo is contributed by  
(1) epiblast      (2) hypoblast  
(3) subgerminal cavity      (4) top layer of yolk
54. The blastopore of amphibian embryo becomes, in future, the  
(1) mouth      (2) anus      (3) blastocoel      (4) gut
55. Due to inturning of the cell sheet during gastrulation in frog embryo a cavity is formed, which grows in size as gastrulation progresses. The cavity thus formed is known as  
(1) Blastocoel      (2) Enterocoel      (3) Archenteron      (4) Pseudocoel

56. Due to a gene mutation if hind limb develops in place of a forelimb in an animal, such transformations are termed as
- |                                 |                               |
|---------------------------------|-------------------------------|
| (1) homeosis                    | (2) homologous transformation |
| (3) heterologous transformation | (4) homeotic transformation   |
57. The polarity of oocyte in *Drosophila* is set by a group of genes known as
- |                             |                   |
|-----------------------------|-------------------|
| (1) maternal genes          | (2) zygotic genes |
| (3) homeotic selector genes | (4) gap genes     |
58. The thickened ectodermal layer of a tetrapod limb bud is termed as
- |                                   |
|-----------------------------------|
| (1) mesenchyme                    |
| (2) Apical Ectodermal Ridge (AER) |
| (3) apical bud                    |
| (4) progress zone                 |
59. The transition from a larval stage to an adult stage is termed as
- |                   |                   |
|-------------------|-------------------|
| (1) eclosion      | (2) hatching      |
| (3) metamorphosis | (4) retrogression |
60. If a hydra is cut into two pieces, then both the pieces repattern the existing tissue forming two small hydra. Such regeneration is called as
- |                                  |                               |
|----------------------------------|-------------------------------|
| (1) epimorphosis                 | (2) compensatory regeneration |
| (3) stem cell based regeneration | (4) morphallaxis              |

15P/216/2

- 61.** Which neurotransmitter released from hypothalamus regulates secretion prolactin?
- (1) Acetylcholine (2) Dopamine  
(3) Norepinephrine (4) Serotonin
- 62.** Which hormone controls the release of milk after parturition?
- (1) Vasopressin (2) Oxytocin (3) Prolactin (4) Relaxin
- 63.** Bulk of androgen in the testis is produced by
- (1) Sertoli cells (2) Peritubular myoid cells  
(3) Leydig cells (4) Germ cells
- 64.** Hormone required for maintenance of pregnancy is
- (1) testosterone (2) aldosterone  
(3) progesterone (4) corticosterone
- 65.** Which gland is associated with Addison's disease?
- (1) Thyroid (2) Pineal (3) Adrenal (4) Parathyroid
- 66.** Aldosterone is secreted from
- (1) Zona glomerulosa (2) Zona pellucida  
(3) Zona fasciculata (4) Zona reticularis

(344)

67. Ovulation occurs during which stage of estrous cycle in a rat?  
(1) Metestrus      (2) Proestrus      (3) Estrus      (4) Diestrus
68. Diabetes insipidus is caused due to deficiency of  
(1) relaxin      (2) oxytocin      (3) insulin      (4) vasopressin
69. Epinephrine is secreted by  
(1) pineal      (2) adrenal      (3) pituitary      (4) pancreas
70. Colloid is found in which gland?  
(1) Adrenal      (2) Thyroid      (3) Pineal      (4) Pituitary
71. Tryptophan is a precursor in biosynthesis of  
(1) insulin      (2) melatonin      (3) calcitonin      (4) prolactin
72. Renin-angiotensin system is involved in control of secretion of  
(1) testosterone      (2) progesterone  
(3) aldosterone      (4) melatonin

14)



15P/216/2

**73.** Pars intermedia secretes

- |                   |                  |
|-------------------|------------------|
| (1) melanotropin  | (2) melatonin    |
| (3) corticotropin | (4) somatotropin |

**74.** Androgen Binding Protein (ABP) is secreted by

- |                             |                  |
|-----------------------------|------------------|
| (1) Sertoli cells           | (2) Leydig cells |
| (3) Peritubular myoid cells | (4) Germ cells   |

**75.** Hormone involved in parturition is

- |               |                 |             |              |
|---------------|-----------------|-------------|--------------|
| (1) prolactin | (2) vasopressin | (3) inhibin | (4) oxytocin |
|---------------|-----------------|-------------|--------------|

**76.** Titration of a completely protonated solution of  $\alpha$ -Lysine against a base would produce how many  $pK$  values?

- |         |         |           |          |
|---------|---------|-----------|----------|
| (1) One | (2) Two | (3) Three | (4) Four |
|---------|---------|-----------|----------|

**77.** Peptide bond is generated between

- (1)  $\alpha$ -COOH of 1st and  $\alpha$ -NH<sub>2</sub> of 2nd amino acid
- (2)  $\alpha$ -NH<sub>2</sub> of 1st and  $\alpha$ -COOH of 2nd amino acid
- (3)  $\beta/\gamma$ -NH<sub>2</sub> of 1st and  $\beta/\gamma$ -COOH of 2nd amino acid
- (4)  $\alpha$ -C of 1st and  $\alpha$ -C of 2nd amino acid

78. Exposure of a native protein to heat results into partial denaturation of the protein due to breaking of
- (1) disulphide bonds
  - (2) hydrophobic interaction
  - (3) hydrogen bonds
  - (4) peptide bonds
79. Rapidity of an enzyme catalyzed reaction at cellular condition is mainly determined by
- (1)  $K_m$  of the enzyme
  - (2) turnover number of the enzyme
  - (3)  $V_{max}$  of the enzyme
  - (4)  $K_{cat}/K_m$  ratio of the enzyme
80. Identify a non-carbohydrate compound from the options given below
- (1) Dihydroxy acetone
  - (2) Glyceraldehyde
  - (3) Glycerol
  - (4) Inulin
81. Identify the glycolytic enzyme that catalyzes phosphorylation reaction
- (1) Glyceraldehyde-3-phosphate dehydrogenase
  - (2) Hexose-phosphate isomerase
  - (3) Triose-phosphate isomerase
  - (4) Phosphoglucomutase

15P/216/2

- 82.** The  $F_0$  domain of the mitochondrial  $F_0-F_1$  complex is named so because it represents
- (1) the protein fragment given no number
  - (2) the protein fragment that does not perform catalytic function
  - (3) cofactor binding domain
  - (4) domain that confers oligomycin sensitivity to the complex
- 83.** Which of the following is an amphipathic biomolecule?
- (1) Starch
  - (2) Triglyceride
  - (3) Sucrose
  - (4) Phospholipid
- 84.** 2'-deoxy-cytidine is a
- (1) nucleotide
  - (2) di-nucleotide
  - (3) modified base
  - (4) nucleoside
- 85.** During prokaryotic DNA synthesis, the RNA primers at lagging strand are removed by
- (1) SI nuclease
  - (2) DNA polymerase I
  - (3) DNA polymerase III
  - (4) RNase II

(344)

5. The polymerase that synthesizes a polynucleotide chain in a template independent manner is

- |                    |                       |
|--------------------|-----------------------|
| (1) DNA Pol-I      | (2) DNA Pol-III       |
| (3) RNA polymerase | (4) Poly-A polymerase |

67. Formation of 'lariat' configuration is a characteristic of

- (1) RNA splicing
- (2) transcription initiation complex
- (3) translation initiation complex
- (4) DNA ligase activity

88. In a charged tRNA, amino acids are linked at

- (1) 3'-end
- (2) 5'-end
- (3) D-loop
- (4) adjacent to anti-codon sequences

89. Formation of prokaryotic translation assembly is initiated at

- |                  |                  |
|------------------|------------------|
| (1) 70S ribosome | (2) 50S ribosome |
| (3) 30S ribosome | (4) 55S ribosome |

(P.T.O.)



15P/216/2

- 90.** A poly-A tail is found in  
(1) SnRNA                      (2) tRNA                      (3) rRNS                      (4) mRNA
- 91.** Concealing mimicry is exhibited by  
(1) *Kallima*                      (2) *Lementis*                      (3) *Sesia*                      (4) *Heterodon*
- 92.** Genetic variability in the natural populations is generated by  
(1) genetic drift                      (2) Sewall-Wright effect  
(3) mutation                      (4) selection
- 93.** The term sibling species was proposed by  
(1) Dobzhansky                      (2) Mayr  
(3) Darwin                      (4) Stebbins
- 94.** Deviation from Hardy-Weinberg equilibrium is tested by  
(1) *t*-test                      (2) ANOVA  
(3) Chi-square method                      (4) *F*-test
- 95.** Definition of species under biological species concept is based on  
(1) evolutionary lineages                      (2) morphological types  
(3) reproductive isolation                      (4) genotypic constitutions

15P/216/2

96. In the punctuated equilibrium, which explains evolution?

- (1) There are rapid bursts separated by long period of stasis
- (2) There are gradual changes
- (3) There are monophyletic changes
- (4) There are polyphyletic changes

97. During the evolution of horse, *Hyracotherium* appeared in

- |                 |              |
|-----------------|--------------|
| (1) Oligocene   | (2) Eocene   |
| (3) Pleistocene | (4) Pliocene |

98. The number of toes present in *Merychippus* is

- |       |       |       |       |
|-------|-------|-------|-------|
| (1) 2 | (2) 3 | (3) 4 | (4) 1 |
|-------|-------|-------|-------|

99. According to Darwin's theory, evolution is defined as

- (1) splitting of species
- (2) phyletic change
- (3) descent with modification
- (4) origin of reproductive isolation

15P/216/2

- 100.** The very good example of analogy is
- (1) forelimbs of rabbit and horse
  - (2) pleopods and uropods in Prawn
  - (3) forelimbs of vertebrates
  - (4) wings of insects and birds
- 101.** The principle of 'ontogeny recapitulates phylogeny' gives evidence in favour of organic evolution from the discipline of Biology
- (1) Comparative Anatomy
  - (2) Embryology
  - (3) Palaeontology
  - (4) Biogeography
- 102.** Geological records are written in the rocks in the language of
- (1) evolutionary change
  - (2) anagenesis
  - (3) cladogenesis
  - (4) fossils
- 103.** In *Drosophila*, which of the following is most extensively studied isolation mechanism?
- (1) Ecological isolation
  - (2) Seasonal isolation
  - (3) Mechanical isolation
  - (4) Sexual isolation
- 104.** The first theory of evolution was proposed by
- (1) Darwin
  - (2) Stebbins
  - (3) Dodson
  - (4) Lamarck

(344)

105. The species which are morphologically similar but reproductively isolated are
- (1) polytypic species
  - (2) monotypic species
  - (3) sibling species
  - (4) Super species
106. Which of the following examples illustrates multiple allelism?
- (1) Attached ear lobe
  - (2) Turner syndrome
  - (3) Sepia eye colour of *Drosophila*
  - (4) ABO blood group in human
107. *c l B* technique in *Drosophila* is used to detect
- (1) autosomal recessive mutations
  - (2) autosomal dominant mutations
  - (3) sex-linked recessive lethal mutations
  - (4) sex-linked dominant lethal mutations
108. If a couple, husband having an X-linked dreadly disease and wife homozygous normal, seeks your advice regarding having children, what will be your advice out of the following?
- (1) They will have 50% chance of having the affected male child
  - (2) They can safely go for only female child
  - (3) They can safely go for only male child
  - (4) They should not plan to have a child

15P/216/2

109. If a cell contains 23 pairs of chromosomes just after completion of mitotic telophase, how many chromatids were present in metaphase?  
(1) 23                      (2) 46                      (3) 92                      (4) 184
110. Which of the following is an enzyme that contains a channel that allows the flow of protons across the membrane of bacterial cell?  
(1) Aconitase                      (2) Dehydrogenase  
(3) Fumarase                      (4) ATPase
111. The membrane phospholipids form bilayer, when water is available on both sides, due to  
(1) its amphipathic nature  
(2) presence of unsaturated fatty acids  
(3) presence of saturated and unsaturated fatty acids in its tail  
(4) presence of cholesterol along with phospholipids
112. In which phase of cell cycle DNA becomes 4C from 2C ?  
(1) S                      (2) G1                      (3) Metaphase                      (4) Anaphase
113. In hybridization experiments, high stringency washing means, washing in presence of  
(1) low salt concentration and high temperature  
(2) high salt concentration and high temperature  
(3) high salt concentration and low temperature  
(4) only water

(344)



4. The most important cell type associated with immunity of the body is  
(1) platelets      (2) lymphocytes      (3) RBCs      (4) neutrophils
5. Polysomes are many  
(1) ribosomes attached to an individual mRNA  
(2) chain of nucleosomes forming chromatin  
(3) several lysosomes fusing during phagocytosis  
(4) centrosomes clustering during mitotic division
116. Which one of the following organelles is rich in acid hydrolases?  
(1) Lysosomes      (2) Golgi complex  
(3) Peroxisomes      (4) Rough endoplasmic reticulum
117. Which of the following is the largest chromosome?  
(1) Satellite chromosomes      (2) X-chromosome  
(3) Lampbrush chromosomes      (4) Polytene chromosomes
118. Due to mutation, one amino acid may get replaced by another amino acid. Such mutations are termed as  
(1) nonsense mutation      (2) missense mutation  
(3) frame-shift mutation      (4) point mutation

(P.T.O.)

15P/216/2

**119.** Which law of Mendel is revealed by dihybrid cross?

- (1) Law of dominance
- (2) Law of segregation
- (3) Law of independent assortment
- (4) Law of heterosis

**120.** Which of the following enzymes is used extensively for gene cloning?

- (1) DNA methylase
- (2) DNA topoisomerase
- (3) Exonucleases
- (4) Restriction endonucleases

**121.** In which of the following the pelvic girdle is made of single adult plate?

- (1) Teleosts
- (2) Lungfishes
- (3) Amphibians
- (4) Reptiles

**122.** Fibula is absent in

- (1) Alligator
- (2) Parrot
- (3) Deer
- (4) Porcupine

**123.** In perissodactyls, body weight is borne on

- (1) Digit I
- (2) Digit II
- (3) Digit III
- (4) Digit IV

**124.** Mastoid portion of endochondral origin is a new feature of the skull of

- (1) Amphibians
- (2) Reptiles
- (3) Aves
- (4) Mammals

(344)

25. In which of the following urochordates, no larval stage is found in their life history?  
(1) Pyrosomida (2) Enterogona (3) Doliolida (4) Pleurogona
26. The earliest possible evidence of gnathostomes dates back to  
(1) Precambrian period (2) Cambrian period  
(3) Mid-Ordovician period (4) Silurian period
127. The operculum, a major sound transmitter in middle ear, is the peculiar feature of  
(1) fishes (2) amphibians (3) reptiles (4) birds
128. The falciform process, an intrusive structure in the vitreous chamber of eye is found in  
(1) cyclostomes (2) teleosts (3) reptiles (4) birds
129. Which of the following muscle is ectodermal in origin?  
(1) Small dorsal muscle that pulls forward the anuran eye lens  
(2) Retractor lentis muscle of teleost eye lens  
(3) Small ventral muscle that pulls forward the amphibian eye lens  
(4) The protractor muscle, attached to ventral rim of the elasmobranch eye lens

(P.T.O.)

15P/216/2

- 130.** Pleurodentition is found
- |                    |                |
|--------------------|----------------|
| (1) Elasmobranches | (2) Teleosts   |
| (3) Necturus       | (4) Crocodiles |
- 131.** Ampulla of Vater is found in the
- (1) hepatic duct
  - (2) pancreatic duct
  - (3) proximal segment of common duct
  - (4) terminal segment of common duct
- 132.** In vertebrates with renal portal system, venous blood supply is not concerned with
- |               |                    |
|---------------|--------------------|
| (1) PCT       | (2) DCT            |
| (3) Glomeruli | (4) Loop of Henley |
- 133.** Primordial germ cells are mesodermal, not the endodermal, in origin in
- |              |             |              |             |
|--------------|-------------|--------------|-------------|
| (1) Teleosts | (2) Anurans | (3) Urodeles | (4) Apodans |
|--------------|-------------|--------------|-------------|
- 134.** Which of the following employ force pump mechanism to inhale air to lungs?
- |              |              |           |             |
|--------------|--------------|-----------|-------------|
| (1) Amphibia | (2) Reptiles | (3) Birds | (4) Mammals |
|--------------|--------------|-----------|-------------|

(344)

35. In ray-finned fishes that use air bladder as lung, blood from air bladder drains into
- (1) hepatic veins
  - (2) renal veins
  - (3) coronary vein
  - (4) atrium
136. Extrosomes are present in
- (1) Protists
  - (2) Echinoderms
  - (3) Mollusca
  - (4) Porifera
137. The term orthomitosis refers to
- (1) symmetry of spindle
  - (2) spindle fibre that breaks during cell division
  - (3) joining of the spindle fibre
  - (4) movement of spindle fibre towards the equatorial plate
138. Bio-erosion causes the significant damage to oysters chiefly by
- (1) Sponges
  - (2) Orthonetida
  - (3) Mollusca
  - (4) Diatom
139. Coral bleaching takes place due to
- (1) stress condition
  - (2) high temperature
  - (3) increase salinity of water
  - (4) lack of nutrient material in the surrounding



15P/216/2

- 140.** Cydippida larvae is the example of
- |                |                   |
|----------------|-------------------|
| (1) Ctenophora | (2) Branchiostome |
| (3) Sycon      | (4) Jellyfish     |
- 141.** Midgut enzyme apparently limited to exo-peptidase which is probably account for?
- |                                       |
|---------------------------------------|
| (1) High rate of digestion of protein |
| (2) Low rate of digestion of protein  |
| (3) High rate of digestion of lipid   |
| (4) Low rate of digestion of lipid    |
- 142.** In which animals terminal claw is present for locomotion?
- |                  |             |
|------------------|-------------|
| (1) Olychophoras | (2) Echirus |
| (3) Silverfish   | (4) Limuls  |
- 143.** Humidity detector in spider is called
- |                     |                 |
|---------------------|-----------------|
| (1) Tarsal organ    | (2) Pectines    |
| (3) Lyriform organs | (4) Nephrocytes |
- 144.** The total number of pleomeres in Palaemon is
- |       |       |       |       |
|-------|-------|-------|-------|
| (1) 6 | (2) 5 | (3) 8 | (4) 7 |
|-------|-------|-------|-------|

(344)

**145.** Aquaferous system present in

- |              |                   |
|--------------|-------------------|
| (1) Porifera | (2) Echinodermata |
| (3) Protozoa | (4) Arthropoda    |

**146.** In which of the phylum, the coelom is divided into protocoelom, mesocoelom and metacoelom?

- |                   |                  |
|-------------------|------------------|
| (1) Echinodermata | (2) Coelenterata |
| (3) Porifera      | (4) Mollusca     |

**147.** The mouthpart of Mallophaga is a

- |                    |                             |
|--------------------|-----------------------------|
| (1) sucking type   | (2) piercing type           |
| (3) siphoning type | (4) biting and chewing type |

**148.** In which larvae condition pre- and post-ciliated band is present?

- |                  |                          |
|------------------|--------------------------|
| (1) Trochophore  | (2) Veliger              |
| (3) Radia larvae | (4) Amphiblastula larvae |

**149.** Polyembryony condition occurs in





- |                 |               |
|-----------------|---------------|
| (1) Hymenoptera | (2) Diptera   |
| (3) Onychophors | (4) Hemiptera |

15P/216/2

**150.** In which of the following animals eight comb plates and two long tentacles are present?

- (1) Ctenophore      (2) Bore      (3) Hydra      (4) Ringworm

\*\*\*



# MSc

## Entrance Exam Combo Set

### Biotechnology & Life Sciences



<https://www.amazon.in/Pathfinder-Academy-Biotechnology-Sciences-Entrance/dp/8190642766>



<https://www.flipkart.com/pathfinder-academy-m-sc-biotechnology-life-sciences-entrance-exam-combo-set/p/itmeqchtfm9nkytk?>

## Pathfinder Academy

pathfinderacademy.in | 9818063394