DU MSc Zoology

Topic:- DU_J18_MSC_ZOO

1) Which of the following is NOT a characteristic of lakes suffering from organic pollution?

[Question ID = 582]

- 1. High microbial concentration [Option ID = 2325]
- 2. High biochemical oxygen demand [Option ID = 2327]
- 3. Low phosphate levels [Option ID = 2328]
- 4. Frequent algal blooms [Option ID = 2326]

Correct Answer :-

• Low phosphate levels [Option ID = 2328]

2) Which of the following was probably absent at the time of origin of life?

[Question ID = 546]

- 1. Oxygen [Option ID = 2182]
- 2. Hydrogen [Option ID = 2181]
- 3. Methane [Option ID = 2183]
- 4. Carbon dioxide [Option ID = 2184]

Correct Answer:-

• Oxygen [Option ID = 2182]

3) Which of the following genotypes causes Klinefelter syndrome?

[Question ID = 530]

- 1. XYY [Option ID = 2120]
- 2. XO [Option ID = 2117]
- 3. XXY [Option ID = 2118]
- 4. XX [Option ID = 2119]

Correct Answer:-

• XXY [Option ID = 2118]

4) Which of the following is wrong match for enzyme classification?

[Question ID = 601]

- 1. EC 2 Trasnferases [Option ID = 2402]
- 2. EC 3- Hydrolases [Option ID = 2403]
- 3. EC 1 Oxidoreductases [Option ID = 2401]
- 4. EC 4- Ligases [Option ID = 2404]

Correct Answer :-

• EC 4- Ligases [Option ID = 2404]

5) Which of the following is not a possible explanation for the rapid rate of evolution of beak shape in Darwin's finches?

[Question ID = 614]

- 1. Strong selection pressure [Option ID = 2455]
- 2. Small population size [Option ID = 2456]
- 3. High mutation rate [Option ID = 2453]
- 4. High emigrations and immigration rate [Option ID = 2454]

Correct Answer :-

• High mutation rate [Option ID = 2453]

[Question ID = 542]

- 1. Hawk [Option ID = 2165]
- 2. Lizard [Option ID = 2166]
- 3. Elephant [Option ID = 2168]
- 4. Shrew [Option ID = 2167]

Correct Answer:-

• Lizard [Option ID = 2166]

7) Which of the following technique was used by Messelon and Stahl to separate DNA labeled with 15^N from 14^N?

[Question ID = 609]

- 1. Ion-exchange chromatography [Option ID = 2436]
- 2. Molecular-sieve filtration chromatography [Option ID = 2435]
- 3. Agarose Gel electrophoresis [Option ID = 2434]
- 4. CsCl density gradient centrifugation [Option ID = 2433]

Correct Answer :-

• CsCl density gradient centrifugation [Option ID = 2433]

8) Which of the following molecule is most abundant in living system?

[Question ID = 608]

- 1. Water [Option ID = 2432]
- 2. Cellulose [Option ID = 2430]
- 3. Protein [Option ID = 2429]
- 4. Starch [Option ID = 2431]

Correct Answer :-

• Water [Option ID = 2432]

9) Which system is active under stress?

[Question ID = 536]

- 1. Sympathetic nervous system [Option ID = 2142]
- 2. Somatic nervous system [Option ID = 2143]
- 3. Parasympathetic nervous system [Option ID = 2141]
- 4. Complete autonomic nervous system [Option ID = 2144]

Correct Answer:-

• Sympathetic nervous system [Option ID = 2142]

10) Which is the first National park established in India:

[Question ID = 583]

- 1. Jim Corbet National Park [Option ID = 2329]
- 2. Periyar National Park [Option ID = 2332]
- 3. Kanziranga National Park [Option ID = 2330]
- 4. Kanha National Park [Option ID = 2331]

Correct Answer :-

• Jim Corbet National Park [Option ID = 2329]

11) Doubling time for E. coli is 20 min. If the initial number of bacterium in a culture is 100, what would be number of bacterium after 60 min. [Question ID = 606]

- 1. 300 [Option ID = 2422]
- 2. 400 [Option ID = 2423]
- 3. 100 [Option ID = 2421]
- 4. 800 [Option ID = 2424]

• 800 [Option ID = 2424]

https://pathfinderacademy.in/

12) X-chromosome inactivation

[Question ID = 527]

- 1. Is the cause of the y chromosome being genetically inactive [Option ID = 2106]
- 2. Takes place in humans so that the same X chromosome is inactive in all the cells of a female [Option ID = 2107]
- 3. Normally takes place in males but not in females [Option ID = 2105]
- 4. Results in genetically turning off one of the two X chromosome in female mammals [Option ID = 2108]

Correct Answer:-

• Results in genetically turning off one of the two X chromosome in female mammals [Option ID = 2108]

In ecological succession from pioneer to climax community, the biomass shall:

[Question ID = 584]

- 1. Increase and then decrease [Option ID = 2334]
- 2. Increase continuously [Option ID = 2336]
- 3. Decrease [Option ID = 2333]
- 4. No relation [Option ID = 2335]

Correct Answer :-

• Increase continuously [Option ID = 2336]

14) Import of glucose by the liver cell:

[Question ID = 569]

- 1. Is dependent on hydrolysis of ATP [Option ID = 2273]
- 2. Is facilitated by GLUT2 [Option ID = 2276]
- 3. Occurs throughout the phospholipid bilayer [Option ID = 2275]
- 4. Requires expression of GLUT1 on the plasma membrane [Option ID = 2274]

Correct Answer :-

• Is facilitated by GLUT2 [Option ID = 2276]

15) The origin of the jaw in the gnathostomes is the

[Question ID = 524]

- 1. hyoid [Option ID = 2096]
- 2. gill arch [Option ID = 2093]
- 3. notochord [Option ID = 2095]
- 4. bones supporting the cranium [Option ID = 2094]

Correct Answer :-

• gill arch [Option ID = 2093]

16) The dynamics of which cytoskeletal element changes in a moving amoeba?

[Question ID = 568]

- 1. Intermediate filaments [Option ID = 2271]
- 2. MreB [Option ID = 2272]
- 3. Microtubules [Option ID = 2269]
- 4. Microfilaments [Option ID = 2270]

Correct Answer :-

• Microfilaments [Option ID = 2270]

17) Repeat core sequences consisting of 2, 3, or 4 base pairs are known as what?

[Question ID = 531]

- 1. Single nucleotide polymorphisms (SNPs) [Option ID = 2121]
- 2. Minisatellites [Option ID = 2123]
- 3. Telomeres [Option ID = 2124]
- 4. Microsatellites [Option ID = 2122]

• Microsatellites [Option ID = 2122]

18) A haltere is a

[Question ID = 551]

- 1. Device used by a male insect to attract female for mating [Option ID = 2204]
- 2. balancing organ of housefly [Option ID = 2203]
- 3. sense organ of butterfly [Option ID = 2201]
- 4. modified forewing of beetle [Option ID = 2202]

Correct Answer :-

• balancing organ of housefly [Option ID = 2203]

19) Linolenic (C18: 9,12,15) is an essential fatty acid for human because:

[Question ID = 555]

- 1. Lenolenic acid is available in fruits [Option ID = 2217]
- 2. Lenolenic acid gives much energy that palmitic acid [Option ID = 2219]
- 3. It is unsaturated fatty acid [Option ID = 2220]
- 4. Human cannot introduce double bond beyond 9-10 carbon of fatty acids [Option ID = 2218]

Correct Answer :-

• Human cannot introduce double bond beyond 9-10 carbon of fatty acids [Option ID = 2218]

20) Passive immunity is obtained by:

[Question ID = 589]

- 1. Injecting the serum of another animal/individual containing antitoxin [Option ID = 2354]
- 2. Our own body cells preparing antibodies [Option ID = 2353]
- 3. Blood transfusion and blood clotting [Option ID = 2356]
- 4. Drinking medicinal concoctions [Option ID = 2355]

Correct Answer :-

• Injecting the serum of another animal/individual containing antitoxin [Option ID = 2354]

21) 2-amino-3 hydroxy propionic acid is the chemical name for which of the following amino acid:

[Question ID = 580]

- 1. serine [Option ID = 2320]
- 2. valine [Option ID = 2319]
- 3. glycine [Option ID = 2317]
- 4. alanine [Option ID = 2318]

Correct Answer :-

• serine [Option ID = 2320]

22) Low pH of the lysosomal compartment is maintained by

[Question ID = 613]

- 1. Glycolysis [Option ID = 2452]
- 2. Electron transport chain [Option ID = 2449]
- 3. Proton ATPase at the membrane [Option ID = 2450]
- 4. Luminal acid production [Option ID = 2451]

Correct Answer :-

• Proton ATPase at the membrane [Option ID = 2450]

23) Kidney of the vertebrate embryo develops from:

[Question ID = 591]

- 1. Mesoderm [Option ID = 2363]
- 2. Archenteron [Option ID = 2364]
- 3. Endoderm [Option ID = 2362]
- 4. Ectoderm [Option ID = 2361]

Correct Answer :-

• Mesoderm [Option ID = 2363]

24) DNA is genetic material in

[Question ID = 563]

- 1. Only eukaryotes [Option ID = 2251]
- 2. Only Prokaryotes and eukaryotes [Option ID = 2250]
- 3. All viruses, prokaryotes, eukaryotes [Option ID = 2249]
- 4. Some viruses, all prokaryotes and eukaryotes [Option ID = 2252]

Correct Answer :-

• Some viruses, all prokaryotes and eukaryotes [Option ID = 2252]

25) Which of the following statement is NOT TRUE for a competitive inhibitor in an enzyme catalysed reaction?

[Question ID = 600]

- 1. Their inhibition can be reversed by increasing the substrate concentration [Option ID = 2400]
- 2. They compete with substrate for binding to the active site. [Option ID = 2398]
- 3. They are structural analogues of the substrate. [Option ID = 2397]
- 4. They increase the Km, and decrease the Vmax. [Option ID = 2399]

Correct Answer:-

• They increase the Km, and decrease the Vmax. [Option ID = 2399]

26) Knee joint is a

[Question ID = 548]

- 1. fibrous joint [Option ID = 2192]
- 2. cartilaginous joint [Option ID = 2191]
- 3. collagenous joint [Option ID = 2189]
- 4. synovial joint [Option ID = 2190]

Correct Answer:-

• synovial joint [Option ID = 2190]

27) The heaviest organelle in cell is:

[Question ID = 556]

- 1. Lysosomes [Option ID = 2223]
- 2. Ribosomes [Option ID = 2224]
- 3. Nucleus [Option ID = 2222]
- 4. Mitochondria [Option ID = 2221]

Correct Answer :-

• Nucleus [Option ID = 2222]

28) Wallace's line is present in between

[Question ID = 544]

- 1. Oriental and Australian regions [Option ID = 2173]
- 2. Palaearctic and Ethiopian regions [Option ID = 2176]
- 3. Neotropical and Nearctic regions [Option ID = 2175]
- 4. Ethiopian and Oriental regions [Option ID = 2174]

https://pathfinderacademy.in/

https://pathfinderacademy.in/

Oriental and Australian regions [Option ID = 2173]	https://pathfinderacademy.in/
20) Tubindan adid dan banaharan 12	
29) In bivalves, which structure secretes pearl?	
[Question ID = 598]	
 Nacreous gland. [Option ID = 2392] Nacreous layer [Option ID = 2391] 	
3. Prismatic layer [Option ID = 2390] 4. Periostracum layer [Option ID = 2389]	
T. Periosuacum layer [Option 1D – 2309]	
Correct Answer :- • Nacreous layer [Option ID = 2391]	
30) Ampicillin inhibits:	
[Question ID = 559]	
1. Cell wall synthesis in bacterial cells [Option ID = 2236]	
2. RNA synthesis in Bacterial cells [Option ID = 2234]	
3. DNA synthesis in bacterial cells [Option ID = 2233]4. Protein synthesis in mammalian cell [Option ID = 2235]	
Correct Answer :-	
Cell wall synthesis in bacterial cells [Option ID = 2236]	
31) Hiccups can be best described as	
[Question ID = 534]	
1. sign of somebody remembering you [Option ID = 2136]	
2. vibration of the soft palate during breathing while sleeping [Option ID = 2135]3. jerky incomplete inspiration [Option ID = 2134]	
4. forceful sudden expiration [Option ID = 2133]	
Correct Answer :-	
jerky incomplete inspiration [Option ID = 2134]	
32) At Isoelectric pH the charge on protein is:	
[Ouestion ID = 553]	
•••	
 Positive charge on protein [Option ID = 2210] Negative charge on protein [Option ID = 2211] 	
3. No charge on protein [Option ID = 2209] 4. Net charge on protein is zero [Option ID = 2212]	
Correct Answer :- • Net charge on protein is zero [Option ID = 2212]	
33) Lac is a material which is	
[Question ID = 552]	
1. hardened fecal matter of lac insect [Option ID = 2205]	
 protective secretion deposited by female lac insect [Option ID = 2206] protective covering secreted by larva [Option ID = 2207] 	
4. resin secreted by the plant [Option ID = 2208]	
Correct Answer :-	
• protective secretion deposited by female lac insect [Option ID = 2206]	
34) Hardy-Weinberg's law gives the concept of	
[Question ID = 586]	https://pathfinderacademv.in/

- 1. natural selection. [Option ID = 2344]
- 2. genetic drift [Option ID = 2341]
- 3. genetic equilibrium [Option ID = 2343]
- 4. mutation [Option ID = 2342]

• genetic equilibrium [Option ID = 2343]

35) The vertical migration of plankton is an instance of

[Question ID = 579]

- 1. Circadian rythmes [Option ID = 2313]
- 2. Circannual rythmes [Option ID = 2314]
- 3. photopriodism [Option ID = 2315]
- 4. photokinesis. [Option ID = 2316]

Correct Answer :-

• Circadian rythmes [Option ID = 2313]

36) Treadmilling of actin filaments in the steady state occurs at G-actin concentration

[Question ID = 565]

- 1. Below the Cc of the (-) end [Option ID = 2257]
- 2. Above the Cc of the (-) end but below the Cc of the (+) end [Option ID = 2259]
- 3. Above the Cc of the (+) end but below the Cc of the (-) end [Option ID = 2260]
- 4. Above the Cc of the (+) end [Option ID = 2258]

Correct Answer :-

• Above the Cc of the (+) end but below the Cc of the (-) end [Option ID = 2260]

37) Exon skipping is associated with:

[Question ID = 528]

- 1. regulatory mutations [Option ID = 2110]
- 2. RNA processing mutations [Option ID = 2111]
- 3. nonsense mutations [Option ID = 2109]
- 4. silent mutations [Option ID = 2112]

Correct Answer :-

• RNA processing mutations [Option ID = 2111]

38) Bile is produced in our body which

[Question ID = 557]

- 1. Act as a surfactant to emulsify lipids in intestine. [Option ID = 2226]
- 2. It has no role associated with our body [Option ID = 2228]
- 3. Helps in digestion of starch in intestinbe [Option ID = 2227]
- 4. Helps in controlling blood pressure [Option ID = 2225]

Correct Answer :-

• Act as a surfactant to emulsify lipids in intestine. [Option ID = 2226]

39) The inner cell mass of mammalian blastocyst develops into,

[Question ID = 578]

- 1. all embryonic structures [Option ID = 2311]
- 2. embryonic endoderm [Option ID = 2309]
- 3. chorio-allantoic placenta [Option ID = 2312]
- 4. yolk-sac placenta [Option ID = 2310]

Correct Answer :-

• all embryonic structures [Option ID = 2311]

[Question ID = 566]

- 1. beta-actin [Option ID = 2263]
- 2. beta-and gamma-actin [Option ID = 2264]
- 3. alpha-actin [Option ID = 2261]
- 4. alpha and beta-actin [Option ID = 2262]

Correct Answer :-

• alpha-actin [Option ID = 2261]

41) The four postulates of the Chemiosmotic hypothesis accounted for:

[Question ID = 574]

- 1. ETC, F1-F0 ATPase, cardiolipin and pmf generators [Option ID = 2295]
- 2. ETC, F1-F0 ATPase, cardiolipin and anion exchangers [Option ID = 2296]
- 3. Cardiolipin [Option ID = 2294]
- 4. The four complexes of the electron transport chain (ETC). [Option ID = 2293]

Correct Answer :-

• ETC, F1-F0 ATPase, cardiolipin and anion exchangers [Option ID = 2296]

42) Cilia and flagella contains a contractile protein called:

[Question ID = 575]

- 1. Myosin [Option ID = 2300]
- 2. Tubulin [Option ID = 2298]
- 3. Actin [Option ID = 2299]
- 4. Dyenin [Option ID = 2297]

Correct Answer :-

• Dyenin [Option ID = 2297]

43) Insects such as Drosophila undergo three molts before undergoing metamorphosis. Molting is controlled by which of the following hormone?

[Question ID = 532]

- 1. juvenile hormone [Option ID = 2126]
- 2. growth hormone [Option ID = 2128]
- 3. auxin [Option ID = 2127]
- 4. ecdysone [Option ID = 2125]

Correct Answer :-

ecdysone [Option ID = 2125]

44) Injection of anti-venom to a patient for snake bite is an example of

[Question ID = 562]

- 1. Artificially acquired active immunity [Option ID = 2246]
- 2. Artificially acquired passive immunity [Option ID = 2248]
- 3. Naturally acquired active immunity [Option ID = 2245]
- 4. Naturally acquired passive immunity [Option ID = 2247]

Correct Answer :-

Artificially acquired passive immunity [Option ID = 2248]

45) Steroid hormones are synthesized from

[Question ID = 558]

- 1. Glycogen [Option ID = 2232]
- 2. Tryptophan [Option ID = 2229]
- 3. Stearic acid [Option ID = 2231]
- 4. Cholesterol [Option ID = 2230]

• Cholesterol [Option ID = 2230]

https://pathfinderacademy.in/

46) When a heterozygous offspring is crossed to homozygous recessive parent, it is called as

[Question ID = 533]

- 1. Test cross [Option ID = 2129]
- 2. Reciprocal cross [Option ID = 2130]
- 3. Dihybrid cross [Option ID = 2132]
- 4. Monohybrid cross [Option ID = 2131]

Correct Answer :-

• Test cross [Option ID = 2129]

47) Identify the statement that is NOT TRUE for Iron-sulphur clusters

[Question ID = 573]

- 1. These are prosthetic groups of succinate-coenzyme Q reductase complex. [Option ID = 2289]
- 2. These accept and release electrons one at a time [Option ID = 2291]
- 3. They contain Fe bonded to inorganic S atoms and S atoms on cysteine residues of proteins [Option ID = 2290]
- 4. They are always associated with cytochromes. [Option ID = 2292]

Correct Answer :-

• They are always associated with cytochromes. [Option ID = 2292]

48) Of the early fish, which led to the extant fish of today?

[Question ID = 525]

- 1. cephalochordates [Option ID = 2099]
- 2. acanthodians [Option ID = 2100]
- 3. placoderms [Option ID = 2098]
- 4. heterostracans [Option ID = 2097]

Correct Answer :-

• acanthodians [Option ID = 2100]

49) Water is a good solvent for inorganic salts because

[Question ID = 615]

- 1. hydrogen bond [Option ID = 2459]
- 2. dielectric constant [Option ID = 2457]
- 3. polarity [Option ID = 2458]
- 4. conductivity [Option ID = 2460]

Correct Answer:-

50) If the sequence of coding strand in a transcription unit is as follows: 5'-GAATTGCCAATTGCAGTC-3', the sequence of mRNA transcribed from the transcription unit would be, [Question ID = 604]

- 1. 3'-GAAUUGCCAAUUGCAGUC-5' [Option ID = 2416]
- 2. 5'-CUUAACGGUUAACGUCAG-3' [Option ID = 2414]
- 3. 5'-GAAUUGCCAAUUGCAGUC-3' [Option ID = 2413]
- 4. 5'-GACUGCAAUUGGCAAUUC-3' [Option ID = 2415]

Correct Answer :-

• 5'-GAAUUGCCAAUUGCAGUC-3' [Option ID = 2413]

51) In a Robertsonian translocation fusion occurs at the:

[Question ID = 529]

- 1. centromeres [Option ID = 2114]
- 2. histones [Option ID = 2115]
- 3. telomeres [Option ID = 2113]

• centromeres [Option ID = 2114]

52) Symporters are cotransporters that transport:

[Question ID = 570]

- 1. Cations and anions in the opposite direction. [Option ID = 2278]
- 2. Glucose against its concentration gradient. [Option ID = 2280]
- 3. Small molecules and gases in the same direction. [Option ID = 2277]
- 4. Na+ ions and glucose against the concentration gradient. [Option ID = 2279]

Correct Answer:-

• Glucose against its concentration gradient. [Option ID = 2280]

53) Bidirectional movement of vesicles requires

[Question ID = 567]

- 1. Kinesin I [Option ID = 2265]
- 2. Association of (+) and (-) end-directed motors [Option ID = 2268]
- 3. A flexible neck region on the motor protein [Option ID = 2267]
- 4. Microtubules and microfilaments [Option ID = 2266]

Correct Answer :-

• Association of (+) and (-) end-directed motors [Option ID = 2268]

54) Pharyngeal gill slits

[Question ID = 521]

- 1. are not found in protochordates, but are present in vertebrates, at least during the embryonic life [Option ID = 2084]
- 2. are found in higher inverterates and vertebrates [Option ID = 2083]
- 3. are found in fishes, crabs, snails, aquatic insects [Option ID = 2082]
- 4. are unique chordate characteristic [Option ID = 2081]

Correct Answer:-

• are unique chordate characteristic [Option ID = 2081]

55) Three pg of a hypothetical protein-X is present in a cell. How many molecules of protein-X would be present in a cell, if the molecular weight of the protein is 30000? (Given, Avogaro's number is 6 x 10²³)

[Question ID = 610]

- 1. 6×10^{15} [Option ID = 2439]
- 2. 6×10^7 [Option ID = 2438]
- 3. 6×10^{23} [Option ID = 2440]
- 4. 6×10^6 [Option ID = 2437]

Correct Answer:-

• 6×10^7 [Option ID = 2438]

56) Ciliated pseudostratified columnar epithelia are found in

[Question ID = 537]

- 1. membranous part of male vas deferens [Option ID = 2147]
- 2. linings of the trachea & upper respiratory tract [Option ID = 2146]
- 3. lining of the trachea [Option ID = 2145]
- 4. Vagina [Option ID = 2148]

Correct Answer :-

• linings of the trachea & upper respiratory tract [Option ID = 2146]

https://pathfinderacademy.in/

- 1. Pygostyle [Option ID = 2365] https://pathfinderacademy.in/
- 2. Analstyle [Option ID = 2367]
- 3. Endostyle [Option ID = 2368]
- 4. Urostyle [Option ID = 2366]

Endostyle [Option ID = 2368]

58) DNA double helix is stabilized by: [Question ID = 602]

- 1. Hydrophobic interactions only [Option ID = 2408]
- 2. H-bonds only [Option ID = 2405]
- 3. H-bonds and base stacking interactions [Option ID = 2406]
- 4. Electrostatic interactions [Option ID = 2407]

Correct Answer :-

• H-bonds and base stacking interactions [Option ID = 2406]

59) Three forms of Daphnia are found in varying seasons. This phenomenon is called: [Question ID = 593]

- 1. Poly morphism [Option ID = 2369]
- 2. Seasonal peroidicity [Option ID = 2371]
- 3. Adaptation [Option ID = 2372]
- 4. Cyclomorphism [Option ID = 2370]

Correct Answer :-

• Cyclomorphism [Option ID = 2370]

60) A gene showing co-dominance

[Question ID = 526]

- 1. Has alleles tightly linked on the same chromosome [Option ID = 2103]
- 2. Has alleles expressed at the same time in development [Option ID = 2104]
- 3. Has one allele dominant to the other [Option ID = 2101]
- 4. Has both alleles independently expressed in heterozygote [Option ID = 2102]

Correct Answer :-

• Has both alleles independently expressed in heterozygote [Option ID = 2102]

61) If the atrioventricular node could be surgically removed from the heart without disrupting signal transmission to bundle of His, then...

[Question ID = 587]

- 1. atria & ventricle would contract almost simultaneously [Option ID = 2348]
- 2. the heart rate would be decreased. [Option ID = 2345]
- 3. only artia would contract. [Option ID = 2346]
- 4. only ventricle would contract. [Option ID = 2347]

Correct Answer :-

• atria & ventricle would contract almost simultaneously [Option ID = 2348]

62) A double stranded DNA has 30 mole percent of cytosine. What would be the mole percent of adenine in it?

[Question ID = 605]

- 1. 40 [Option ID = 2419]
- 2. 20 [Option ID = 2417]
- 3. 60 [Option ID = 2420]
- 4. 30 [Option ID = 2418]

Correct Answer :-

• 20 [Option ID = 2417]

63) A protein having both structural and enzymatic properties is

[Question ID = 535]

 Histone [Option ID = 2140] Trypsin [Option ID = 2138] Myosin [Option ID = 2139] Collagen [Option ID = 2137] 	https://pathfinderacademy.in/
Correct Answer :- • Myosin [Option ID = 2139]	
64) Bilateral symmetry in certain group of Phylum Mollusca is lost due to [Question ID = 595] 1. reversion and rotation [Option ID = 2379] 2. expansion and torsion [Option ID = 2380]	
2. Expansion and torsion [Option ID = 2380] 3. torsion [Option ID = 2378] 4. rotation [Option ID = 2377]	
Correct Answer :- • torsion [Option ID = 2378]	
65) Bilaterally symmetrical, acoelomate organisms are:	
[Question ID = 577] 1. platyhelminthes [Option ID = 2306] 2. sponges [Option ID = 2305] 3. acinadia [Option ID = 2308] 4. nemathelminthes [Option ID = 2307]	
Correct Answer :- • platyhelminthes [Option ID = 2306]	
66) Honey bee society is [Question ID = 549]	
 Eusocial [Option ID = 2196] Subsocial [Option ID = 2195] Communal [Option ID = 2193] Parasocial [Option ID = 2194] 	
Correct Answer :- • Eusocial [Option ID = 2196]	
67) DNA finger-printing employs [Question ID = 588] 1. pseudo-genes as probes. [Option ID = 2352] 2. unique and house-keeping genes as probes [Option ID = 2349] 3. variable number tandem repeats as probes [Option ID = 2351] 4. specific metabolic genes as probes [Option ID = 2350]	
Correct Answer :- • variable number tandem repeats as probes [Option ID = 2351]	
68) BLAST program is used in	
[Question ID = 564]	
 DNA sequencing [Option ID = 2253] DNA bar coding [Option ID = 2255] Amino Acid sequencing [Option ID = 2254] Bioinformatics [Option ID = 2256] 	
Correct Answer :- • Bioinformatics [Option ID = 2256]	
69) Hemophilia is an example of a trait that is carried as a	https://pathfinderacademy.in/

[Question ID = 543]

- 1. Autosomal dominant [Option ID = 2169]
- 2. Autosomal recessive [Option ID = 2170]
- 3. Sex-linked dominant [Option ID = 2171]
- 4. Sex linked recessive [Option ID = 2172]

Correct Answer:-

• Sex linked recessive [Option ID = 2172]

70) Schizocoelic phyla are

[Question ID = 520]

- 1. Annelida, Arthropoda, and Mollusca [Option ID = 2079]
- 2. Arthropoda, Mollusca and Echinodermata [Option ID = 2080]
- 3. Platyhelminthes, Aschelminthes and Annelida [Option ID = 2078]
- 4. Protozoa, Porifera, Cnidarians, and Platyhelminthes [Option ID = 2077]

Correct Answer:-

• Annelida, Arthropoda, and Mollusca [Option ID = 2079]

71) In terrestrial vertebrates, which of the following structures did not arise from the pharyngeal pouches?

[Question ID = 522]

- 1. intervertebral discs [Option ID = 2087]
- 2. Eustachian tube [Option ID = 2085]
- 3. parathyroid gland [Option ID = 2088]
- 4. middle ear [Option ID = 2086]

Correct Answer:-

• intervertebral discs [Option ID = 2087]

72) Species inhabiting in different geographical regions are known as

[Question ID = 545]

- 1. allopatric [Option ID = 2177]
- 2. biospecies [Option ID = 2180]
- 3. sibling species [Option ID = 2178]
- 4. sympatric [Option ID = 2179]

Correct Answer :-

• allopatric [Option ID = 2177]

73) Frog oocytes do not swell in hypotonic solutions. The most plausible explanation for this is the absence of:

[Question ID = 571]

- 1. Aquaporins [Option ID = 2282]
- 2. K+ channels [Option ID = 2284]
- 3. Na+ channels [Option ID = 2283]
- 4. Na+ K+ ATPase [Option ID = 2281]

Correct Answer :-

• Aquaporins [Option ID = 2282]

74) Nucleosome core is a structural unit of chromomatin

[Question ID = 616]

- 1. consisting of 8 histones molecules and a specific length of DNA [Option ID = 2463]
- 2. consisting of 8 histones molecules and a specific sequence of DNA [Option ID = 2462]
- 3. consisting of 4 histones molecules and a specific length of DNA [Option ID = 2461]
- 4. consisting of 4 histones molecules and a specific sequence of DNA [Option ID = 2464]

https://pathfinderacademy.in/

https://pathfinderacademy.in/

	elecules and a specific length of DNA [Option ID = 2463]
	Tm) of double stranded DNA increases with
[Question ID = 554]	
	ine/thymine bases [Option ID = 2214] e/cytosine bases [Option ID = 2213]
_	e/cytosine bases [Option ID = 2213]
76) Unfolded or misfolded	proteins are degraded in:
[Question ID = 560]	
Golgi [Option ID = 2239] Endoplasmic reticulum [Op Mitochondria [Option ID = Proteasomes [Option ID =	2237]
Correct Answer :- • Proteasomes [Option ID =	2238]
77) Which of the following	communicable diseases is NOT transmitted by Aedes? [Question ID = 539]
Dengue haemorrhagic fev Yellow fever [Option ID = 3 Chikungunia [Option ID = 3 Sleeping sickness [Option ID = 3	156] 155]
Correct Answer :- • Sleeping sickness [Option	D = 2154]
78) Which of the following	is semiautonomous organelle? [Question ID = 541]
 Golgi complex [Option ID Mitochondria [Option ID = Nucleus [Option ID = 2161 Ribosomes [Option ID = 21 	2162]
Correct Answer :- • Mitochondria [Option ID =	2162]
79) Match the following: A Phylum B. Class C. Order D. Family Codes: [Question ID = 612]	Select the correct answer using the codes given below: 1. Anura 2. Ranidae 3. Chordata 4. Amphibia
	D.
A B C	D 3 FORMULA ID 24403
1.	[Option ID = 2448]
2. 1 2 3	[Option ID = 2446]
A B C	D 2
3. 4 1	[Option ID = 2445] https://pathfinderacademy.in/

```
D
           В
                  C
                                                                                             https://pathfinderacademy.in/
                         3 [Option ID = 2447]
Correct Answer:-
           В
                  C
                         D
    A
    3
                         2
                  1
                              [Option ID = 2445]
80)
      Match the list I with list II and select the correct answer using codes given below;
            List I
                             List II
          A. Taenia
                           1. Hexacanth
          B. Obelia
                           2. Glochidium
          C. Unio
                           3. Planula
         D. Balanoglossus 4. Tomaria
                           5. Miracidium
         Codes:
[Question ID = 599]
    A
          В
                 C
                        D
1. 2
           5
                 3
                        4
                             [Option ID = 2396]
                 C
    A
          B
                        D
2. 3
          2
                 1
                        5
                             [Option ID = 2394]
                  C
                         D
    A
           В
                  3
           2
                         5
3.
                             [Option ID = 2393]
                 C
                        D
          В
          3
   1
                            [Option ID = 2395]
Correct Answer :-
          В
                 C
                        D
    A
   1
          3
                 2
                            [Option ID = 2395]
81)
       Match the following stains used for staining given subcellular
       architecture/molecule/organelles:
       A. Ganus Green
                                   1. Cytoplasm
       B. Methyl blue
                                   2. Centriole
                                   3. Mitochondria
       C. Feulgen
       D. Iron Haematoxylin
                                   4. DNA
       Which of the following is correct match:
[Question ID = 576]
           В
                  C
                         D
                             [Option ID = 2304]
           В
                  C
                         D
    A
           2
                  3
                            [Option ID = 2301]
                 C
                        D
    A
          В
   2
          3
                 4
                        1
                             [Option ID = 2302]
                C
         В
                       D
   A
4. 4
         3
                2
                          [Option ID = 2303]
                                                                                             https://pathfinderacademy.in/
```

Correct Answer :https://pathfinderacademy.in/ A В C D [Option ID = 2304] 82) The pH of a 10-8 M hydrochloric acid solution would be [Question ID = 597] 1. 8.25 [Option ID = 2385] 2. 6.98 [Option ID = 2388] 3. 7.05 [Option ID = 2386] 4. 6.58 [Option ID = 2387] Correct Answer :-• 6.98 [Option ID = 2388] 83) If a colour blind female marries a normal male, their children will be [Question ID = 547] normal sons and normal daughters [Option ID = 2188] 1. normal sons and carrier daughters [Option ID = 2187] 2. 3. colour blind sons and colour blind daughters [Option ID = 2185] colour blind sons and carrier daughters [Option ID = 2186] Correct Answer :colour blind sons and carrier daughters [Option ID = 2186] 84) Y-shaped chaveron bone is present in [Question ID = 550] 1. thoracic vertebrae of mammal [Option ID = 2197] 2. caudal vertebrae of reptile [Option ID = 2199] 3. cervical vertebrae of bird [Option ID = 2198] 4. lumbar vertebrae of amphibian [Option ID = 2200] Correct Answer :-• caudal vertebrae of reptile [Option ID = 2199] 85) The heart is not ventral in position in [Question ID = 519] 1. Fish [Option ID = 2074] 2. Frog [Option ID = 2073] 3. Lamprey [Option ID = 2075] 4. Crabs [Option ID = 2076] Correct Answer :-• Crabs [Option ID = 2076] 86) What would be the phenotype of E. coli for lac-operon, if the genotype is i+ o- z+ y+ a+? [Question ID = 603] 1. It would be repressed but inducible by IPTG. [Option ID = 2409] 2. It would be repressed and not induced by IPTG. [Option ID = 2411] 3. It would show constitutive expression of structural genes. [Option ID = 2410] 4. It would show constitutive expression of structural genes whose expression would further be enhanced by IPTG. [Option ID = 2412] Correct Answer :-• It would show constitutive expression of structural genes. [Option ID = 2410] 87) Non-disjunction means: [Question ID = 594] 1. one chromosome being lost [Option ID = 2376] 2. loss of a part of chromosome [Option ID = 2373] https://pathfinderacademy.in/ 3. duplication of a segment of a chromosome [Option ID = 2374]

4. failure of chromosome pairs to separate during anaphase [Option ID = 2375]

• failure of chromosome pairs to separate during anaphase [Option ID = 2375]

https://pathfinderacademy.in/

88) Marsupial mammals moved from South America to Australia via [Question ID = 540]

- 1. Antarctica [Option ID = 2157]
- 2. Madagascar [Option ID = 2160]
- 3. the Galapagos Archipelago [Option ID = 2159]
- 4. Africa [Option ID = 2158]

Correct Answer:-

• Antarctica [Option ID = 2157]

89) Gap junctions are not essential for:

[Question ID = 572]

- 1. Skeletal muscle contraction [Option ID = 2288]
- 2. Metabolic coupling [Option ID = 2286]
- 3. Peristalsis [Option ID = 2287]
- 4. Transfer of second messengers [Option ID = 2285]

Correct Answer :-

• Skeletal muscle contraction [Option ID = 2288]

90) Bilateral symmetry is seen in the body organization of [Question ID = 517]

- 1. annelids, arthropods and vertebrates [Option ID = 2068]
- 2. Vertebrates only [Option ID = 2066]
- 3. Vertebrates, annelids, arthropods, and cnidarians [Option ID = 2067]
- 4. Only chordates [Option ID = 2065]

Correct Answer :-

annelids, arthropods and vertebrates [Option ID = 2068]

91) The absorbance of UV light (280nm) by a protein is largely due to the presence of amino acids with

[Question ID = 596]

- 1. Acidic R group [Option ID = 2382]
- 2. Aromatic R group [Option ID = 2383]
- 3. Basic R group [Option ID = 2384]
- 4. Aliphatic R group [Option ID = 2381]

Correct Answer:-

• Aromatic R group [Option ID = 2383]

92) The name of the process by which oil glands in mammalian skins secrete oils is:

[Question ID = 538]

- 1. holocrine secretion [Option ID = 2151]
- 2. osmosis [Option ID = 2152]
- 3. apocrine secretion [Option ID = 2150]
- 4. active transport [Option ID = 2149]

Correct Answer:-

• holocrine secretion [Option ID = 2151]

93) The transition from water to land in the evolution of land vertebrates occurred during:

[Question ID = 585]

- 1. Cambrian [Option ID = 2337]
- 2. Devonian [Option ID = 2340]
- 3. Jurassic [Option ID = 2338]
- 4. Carboniferous [Option ID = 2339]

• Devonian [Option ID = 2340]

https://pathfinderacademy.in/

94) The alarming rate of depletion of biodiversity in recent years is mostly due to

[Question ID = 581]

- 1. ozone depletion. [Option ID = 2324]
- 2. pollution by pesticides and heavy metals [Option ID = 2323]
- 3. global warming [Option ID = 2321]
- 4. habitat destruction [Option ID = 2322]

Correct Answer :-

95) The scales in shark belong to the type

[Question ID = 607]

- 1. Cycloid [Option ID = 2426]
- 2. Ctenoid [Option ID = 2427]
- 3. Ganoid [Option ID = 2428]
- 4. Placoid [Option ID = 2425]

Correct Answer :-

• Placoid [Option ID = 2425]

96) The term tunicate makes reference to the urochordate test, or tunic, which is composed of

[Question ID = 523]

- 1. cellulose [Option ID = 2090]
- 2. calcium carbonate [Option ID = 2092]
- 3. silicon dioxide [Option ID = 2089]
- 4. chitin [Option ID = 2091]

Correct Answer:-

• cellulose [Option ID = 2090]

97) The notochord does not persist throughout life in

[Question ID = 518]

- 1. Tunicates [Option ID = 2070]
- 2. Amphioxus [Option ID = 2069]
- 3. Petromyzon [Option ID = 2071]
- 4. Myxine [Option ID = 2072]

Correct Answer :-

• Tunicates [Option ID = 2070]

98) At what stage of eukaryotic cell cycle you would expect the DNA to be least compact?

[Question ID = 611]

- 1. G I-Phase [Option ID = 2441]
- 2. Leptotene [Option ID = 2444]
- 3. S-Phase [Option ID = 2443]
- 4. Mitosis [Option ID = 2442]

Correct Answer:-

• S-Phase [Option ID = 2443]

99) Nicotinamide adenine dinucleotide phosphate is generated in [Question ID = 561]

- 1. Fatty acid degradation pathway [Option ID = 2244]
- 2. Glycolysis [Option ID = 2242]
- 3. Pentose Phosphate pathway [Option ID = 2241]
- 4. Tricarboxylic acid pathway [Option ID = 2243]

• Pentose Phosphate pathway [Option ID = 2241]

https://pathfinderacademy.in/


100) Haemophilia or bleeder's disease is due to a defective gene which does not produce:


[Question ID = 590]

- 1. Thromboplastin [Option ID = 2359]
- 2. Prothrombin [Option ID = 2360]
- 3. Fibrinogen [Option ID = 2357]
- 4. Calcium salts [Option ID = 2358]


Correct Answer:-








Pranav Kumar





MSc

Entrance Exam Combo Set Biotechnology & Life Sciences



https://www.amazon.in/Pathfinder-Academy-Biotechnology-Sciences-Entrance/dp/8190642766



https://www.flipkart.com/pathfinder-academy-m-sc-biotechnology-life-sciences-entrance-exam-combo-set/p/itmegchtfm9nkytk?

Pathfinder Academy

pathfinderacademy.in | 9818063394