

Set No. 1

18P/287/22

11310

Total No. of Printed Pages : 20

Question Booklet No.

(To be filled up by the candidate by blue/black ball-point pen)

Roll No. 

--	--	--	--	--	--	--	--	--	--

Roll No. (Write the digits in words) .....

Serial No. of OMR Answer Sheet .....

Centre Code No. 

--	--	--	--	--

Day and Date .....

(Signature of Invigilator)

### INSTRUCTIONS TO CANDIDATES

1. Use only blue/black ball-point pen in the space above and on both sides of the Answer Sheet)
2. Within 30 minutes of the issue of the Question Booklet, check the Question Booklet to ensure that it contains all the pages in correct sequence and that no page/question is missing. In case of faulty Question Booklet bring it to the notice of the Superintendent/Invigilators immediately to obtain a fresh Question Booklet.
3. Do not bring any loose paper, written or blank, inside the Examination Hall *except the Admit Card*.
4. A separate OMR Answer Sheet is given. It should not be folded or mutilated. A second Answer Sheet shall not be provided. Only the Answer Sheet will be evaluated.
5. Write all entries by blue/black ball pen in the space provided above.
6. On the front page of the OMR Answer Sheet, write by pen your Roll Number in the space provided at the top, and by darkening the circles at the bottom. Also, write the Question Booklet Number, Centre Code Number and the Set Number (wherever applicable) in appropriate places.
7. Overwriting is allowed in the entries of Roll No., Question Booklet No. and Set No. (if any) on OMR Answer Sheet and Roll No. and OMR Answer Sheet No. on the Question Booklet.
8. Any change in the aforesaid entries is to be verified by the invigilator, otherwise it will be taken as wrong means.
9. Each question in this Booklet is followed by four alternative answers. For each question, you are to select the correct option on the Answer Sheet by darkening the appropriate circle in the corresponding row of the Answer Sheet, by pen as mentioned in the guidelines given on the first page of the OMR Answer Sheet.
10. For each question, darken only one circle on the OMR Answer Sheet. If you darken more than one circle or darken a circle partially, the answer will be treated as incorrect.
11. Note that the answer once filled in ink cannot be changed. If you do not wish to attempt a question, leave all the circles in the corresponding row blank (such question will be awarded zero mark).
12. For rough work, use the inner back page of the title cover and the blank page at the end of this booklet.
13. On completion of the Test, the candidate must handover the OMR Answer Sheet to the Invigilator in the examination room/hall. However, candidates are allowed to take away Test Booklet and copy of OMR Answer Sheet with them.
14. Candidates are not permitted to leave the Examination Hall until the end of the Test.
15. If a candidate attempts to use any form of unfair means, he/she shall be liable to such punishment as the University may determine and impose on him/her.

(उपर्युक्त निर्देश हिन्दी में अन्तिम आवरण-पृष्ठ पर दिये गये हैं।)

**FOR ROUGH WORK / रफ कार्य के लिए**

**18P/287/22(Set-1)**

**No. of Questions : 120**

**Time : 2 Hours ]**

**[ Full Marks : 360**

**Note :** (i) Attempt as many questions as you can. Each question carries 3 (three) marks. *One mark will be deducted for each incorrect answer. Zero* mark will be awarded for each unattempted question.

(ii) If more than one alternative answers seem to be approximate to the correct answer, choose the closest one.

1. Which of the following plant viruses has double-stranded DNA genome ?  
(1) Cauliflower Mosaic Virus                      (2) Tobacco Mosaic Virus  
(3) Maize Streak Virus                              (4) Brome Mosaic Virus
2. Alcohol production from sugar is based on the organism :  
(1) Bacteria    (2) Protozoa  
(3) Yeast     (4) Bacteria and Protozoa
3. The insecticidal compound Azadirachtin is obtained from :  
(1) Arjuna                      (2) Ginger                      (3) Turmeric                      (4) Neem
4. The medicinal plant Arjuna is used for management of :  
(1) Diabetes    (2) Peptic ulcers  
(3) Cardiovascular problems                      (4) Wounds
5. A 'gene sanctuary' is created for the conservation of :  
(1) cultivated species                                      (2) animal species  
(3) wild relatives of crops                                      (4) cultivated and wild species

18P/287/22(Set-1)

6. The Kanha National Park is a reserve for :  
(1) Millets (2) Graminaceous species  
(3) Legumes (4) Tigers
7. The somatic chromosome number of a diploid plant is denoted by  $2n$ . The somatic chromosome number of a tetraploid plant will be depicted as :  
(1)  $2x$  (2)  $4x$  (3)  $2n$  (4)  $4n$
8. An anticodon is found in :  
(1) tRNA (2) mRNA (3) rRNA (4) siRNA
9. Thymine does occur in :  
(1) siRNA (2) tRNA (3) mRNA (4) rRNA
10. Which of the following is *not* associated with protein synthesis ?  
(1) Ribosome (2) Polysome  
(3) Golgi body (4) Rough endoplasmic reticulum
11. The haploids of which of the following are fertile ?  
(1) Rice (2) Tomato (3) Barley (4) Potato
12. The endosperm of a plant species has 21 chromosomes. Which of the following cells will have 14 chromosomes ?  
(1) Pollen grains (2) Pollen mother cells  
(3) Synergid cells (4) Megaspores
13. When a diploid individual has a single allele of a gene, this condition is known as :  
(1) Hemizygous (2) Homozygous (3) Heterozygous (4) Segregation
14. Cell cultures of a plant species show root regeneration. This situation is best described by the term :  
(1) Cytodifferentiation (2) Caulogenesis  
(3) Totipotency (4) Rhizogenesis



18P/287/22(Set-1)

15. Males of which of the following insects are always haploid ?  
(1) House fly (2) Butterfly  
(3) Termite (4) Lady bird beetle
16. In case of honey bee, workers are :  
(1) Female  
(2) Male  
(3) Intersex  
(4) Some are male and some are female
17. Which of the following does not affect gene function ?  
(1) DNA methylation (2) Heterochromatinization  
(3) Cutimization (4) Histone acetylation
18. The family name cruciferae is related to :  
(1) Corolla shape (2) Fruit type (3) Inflorescence (4) Placentation
19. Basal placentation is found in the family :  
(1) Cruciferae (2) Leguminosae (3) Solanaceae (4) Graminae
20. Inferior ovaries are found in :  
(1) Cruciferae (2) Rosaceae (3) Solanaceae (4) Leguminosae
21. *Gossypium* spp. belong to family :  
(1) Malvaceae (2) Rosaceae (3) Leguminosae (4) Solanaceae
22. Which of the following is *not* correct about *Rhizobium* spp. ?  
(1) Form root nodules  
(2) Form stem nodules  
(3) Can fix nitrogen in free-living state  
(4) Can multiply in soil in free-living state
23. Which of the following is prokaryote ?  
(1) Protozoa (2) Blue-green algae  
(3) Green algae (4) Chlorella

18P/287/22(Set-1)

24. The 'Killer' trait of *Paramecium* is due to :  
(1) a nuclear gene (2) a plasma gene  
(3) both nuclear and plasma genes (4) an endosymbiont
25. Companion cells are found in :  
(1) cortex (2) phloem (3) pericycle (4) xylem
26. Which of the following is devoid of nucleic acids ?  
(1) T<sub>2</sub> phage (2) Prions  
(3) Tobacco mosaic virus (4) Cauliflower mosaic virus
27. Satellite RNA is found in some :  
(1) RNA viruses (2) DNA viruses (3) Bacteria (4) Yeast
28. *Agaricus bisporus* is generally known as :  
(1) Dhingri mushroom (2) Paddy mushroom  
(3) Chinese mushroom (4) Button mushroom
29. In some individuals, consumption of milk leads to diarrhoea; this is due to :  
(1) casein (2) microbes (3) lactose (4) adulteration
30. Cereal proteins are deficient in :  
(1) Lysine (2) Methionine (3) Proline (4) Valine
31. The invariable feature of RNA molecules is :  
(1) Uracil (2) Single strand (3) Double helix (4) D-ribose
32. Backcross method is used to achieve which of the following objectives ?

**Objectives :**

- I. Gene transfer
  - II. Cytoplasm transfer
  - III. Gene pyramiding
  - IV. Transgressive Segregation
- (1) I, II, III, IV (2) I, II, III (3) I, II, IV (4) II, III, IV

18P/287/22(Set-1)

33. The haploid production technique applicable to the largest number of species is :
- (1) anther culture (2) ovary culture  
(3) pollination with inducer strain (4) interspecific hybridization
34. Which of the following is a variety comprising more than one homozygous genotype ?
- (1) clone (2) pureline (3) synthetic (4) multiline
35. Which of the following lines consists of a single heterozygous genotype ?
- Lines :**
- I. Clone  
II. Pureline  
III. Single Cross  
IV. Double Cross
- (1) II, III, IV (2) I, II, III, IV (3) I, III (4) I, III, IV
36. Which of the following is *not* seed ?
- (1) Potato tubers used for planting  
(2) Wheat grains used as food  
(3) Gram seed used for sowing  
(4) Wheat grains used for sowing
37. Mass selection is used for production of :
- (1) Certified seed (2) Foundation seed  
(3) Nucleus seed (4) Truthful seed
38. In angiosperms like tobacco, plasma genes show which of the following modes of transmission ?
- (1) Strictly maternal only  
(2) Generally maternal, but some paternal  
(3) Only Paternal  
(4) Biparental

18P/287/22(Set-1)

39. With reference to organogenesis, the most important component of plant tissue culture system is :

- |                    |                              |
|--------------------|------------------------------|
| (1) Vitamins       | (2) Carbon and energy source |
| (3) Micronutrients | (4) Growth regulator         |

40. Which of the following is *not* an insect predator ?

- |                      |                |
|----------------------|----------------|
| (1) Ladybird beetles | (2) Lecewings  |
| (3) Praying Mantis   | (4) Mealy bugs |

41. Which of the following insects transmit viruses ?

**Insects :**

I. Leaf hoppers

II. Aphids

III. Whiteflies

- |                |           |            |             |
|----------------|-----------|------------|-------------|
| (1) I, II, III | (2) I, II | (3) I, III | (4) II, III |
|----------------|-----------|------------|-------------|

42. The major stored grain insect pests belong to the orders :

**Orders :**

I. Coleoptera

II. Diptera

III. Lepidoptera

- |                |            |           |             |
|----------------|------------|-----------|-------------|
| (1) I, II, III | (2) I, III | (3) I, II | (4) II, III |
|----------------|------------|-----------|-------------|

43. Cotton is attacked by the insect pests :

**Insect pests**

I. Spotted bollworm

II. Jassids

III. White fly

IV. Aphids

- |                    |                |                |                 |
|--------------------|----------------|----------------|-----------------|
| (1) I, II, III, IV | (2) I, III, IV | (3) I, II, III | (4) II, III, IV |
|--------------------|----------------|----------------|-----------------|

44. *Pythium* causes :

- |              |               |                 |               |
|--------------|---------------|-----------------|---------------|
| (1) root rot | (2) leaf spot | (3) leaf blight | (4) fruit rot |
|--------------|---------------|-----------------|---------------|



18P/287/22(Set-1)

45. Which of the following belongs to fungi imperfecti ?  
(1) *Erysiphe pisi* (2) *Phytophthora infestans*  
(3) *Aspergillus niger* (4) *Sclerospora graminicola*
46. Late blight of potato is caused by :  
(1) *Aternaria solani* (2) *Phytophthora infestans*  
(3) *Rhizoctonia solani* (4) *Pripolaris Cylindrica*
47. *Sclerospora graminicola* causes downy mildew of :  
(1) sorghum (2) cucurbits (3) wheat (4) pearlmillet
48. Downy mildew is caused by members of :  
(1) Ascomycetes (2) Oomycetes  
(3) Basidiomycetes (4) Deuteromycetes
49. In case of which of the following gene interactions a 3 : 1 phenotypic ratio would be obtained in test cross ?  
**Gene Interaction :**  
I. Duplicate  
II. Complementary  
III. Supplementary  
(1) I, II (2) II, III (3) I, III (4) I, II, III
50. The primary function of a gene is to encode :  
(1) a polypeptide (2) a protein  
(3) a RNA molecule (4) an enzyme
51. The F<sub>2</sub> phenotypic ratio in case of masking gene action is :  
(1) 9 : 3 : 4 (2) 12 : 3 : 1 (3) 13 : 3 (4) 9 : 6 : 1
52. Polygenes show :  
(1) additive gene effects  
(2) dominance gene effects  
(3) additive and interaction effects  
(4) additive, dominance and interaction effects

18P/287/22(Set-1)

53. A  $E_1$  hybrid will be of commercial value if its performance is superior to the :  
(1) mid-parent (2) superior parent  
(3) best check variety (4) either parent
54. Genetic variation will be present in :  
(1)  $E_1$  from a cross between two purelines  
(2) A double haploid line  
(3)  $E_1$  from a cross between a pureline and a doubled haploid line  
(4)  $E_1$  from two clones
55. Crossing over occurs during :  
(1) Pachytene (2) Zygotene (3) Diakinesis (4) Diplotene
56. Which of the following is dioecious ?  
(1) Maize (2) Castor (3) Triticale (4) Papaya
57. Protandry occurs in :  
(1) Pearl millet (2) Maize (3) Tomato (4) *Brassica* spp.
58. Which of the following is a recent introduction in India ?  
(1) Tobacco (2) Potato (3) Soyabean (4) Tomato
59. In case of garlic, bulbils develop from :  
(1) Leaves (2) Roots (3) Shoots (4) Flowers
60. The onion we eat is a modified stem called :  
(1) bulb (2) tuber (3) rhizome (4) corm
61. Xenia represents the effect of pollen genotype on :  
(1) fruit (2) embryo (3) endosperm (4) ovary
62. Which of the following is a threshold character ?  
(1) Seed colour (2) Disease resistance  
(3) Seed coat colour (4) Flower colour

63. Which of the following is an integral component of proteins, but not of DNA ?  
(1) Phosphorus (2) Carbon (3) Nitrogen (4) Sulphur
64. Which of the following is *not* a micronutrient ?  
(1) Mn (2) Fe (3) Mg (4) Zn
65. Which of the following is considered as the '*Drosophila* of plant kingdom' ?  
(1) *Arabidopsis* (2) *Pisum* (3) *Triticum* (4) *Nicotiana*
66. Photophosphorylation occurs in :  
(1) Peroxisomes (2) Mitochondria  
(3) Golgi bodies (4) Chloroplasts
67. Which of the following histones is the easiest to be separated from chromatin ?  
(1) H3 (2) H2b (3) H1 (4) H4
68. Pseudodominance is produced by :  
(1) duplication (2) inversion (3) translocation (4) deletion
69. Genes that affect the expression of more than one character are called :  
(1) epistative (2) polymeric  
(3) pleiotropic (4) super genes
70. In case of *Drosophila*, the progeny from a white eye female mated to a red eye male will be :  
(1) 1 red eye female : 1 white eye male  
(2) All red eye flies  
(3) All white eye flies  
(4) 3 Red eye flies : 1 white eye flies
71. Dominance relationship between alleles is modified by the sex of the individuals in the case of :  
(1) sex-linked traits (2) sex-limited traits  
(3) sex-influenced traits (4) primary sex characters

10P/28//22(Set-1)

72. A biotechnological production process may use which of the following agents ?

**Agents :**

- |                    |                          |
|--------------------|--------------------------|
| I. Microbes        | II. Animal cells         |
| III. Plant cells   | IV. Recombinant microbes |
| (1) I, II, III, IV | (2) I, II, III           |
| (3) I, III, IV     | (4) II, III, IV          |

73. Biocontrol agents are used for the control of which of the following pests and pathogens ?

**Pest and Pathogens :**

- |                          |                      |
|--------------------------|----------------------|
| I. Insect pests          | II. Fungal Pathogens |
| III. Bacterial pathogens | IV. Weeds            |
| (1) I, II, III           | (2) I, II, III, IV   |
| (3) I, IV                | (4) II, III, IV      |

74. The phrase 'stress hormone' refers to :

- |               |           |                 |                    |
|---------------|-----------|-----------------|--------------------|
| (1) Cytokinin | (2) Auxin | (3) Gibberellin | (4) Absciscic acid |
|---------------|-----------|-----------------|--------------------|

75. Which of the following organisms enhance the availability of soil phosphorus ?

**Organisms :**

- |                       |           |                |             |
|-----------------------|-----------|----------------|-------------|
| I. Mycorrhiza         |           |                |             |
| II. Some bacteria     |           |                |             |
| III. Blue-green algae |           |                |             |
| (1) i                 | (2) I, II | (3) I, II, III | (4) II, III |

76. Phenocopies are produced by :

- |                           |                   |
|---------------------------|-------------------|
| (1) Environmental factors | (2) Gene mutation |
| (3) Deletion              | (4) Duplication   |

77. Absciscic acid promotes :

- |               |                     |
|---------------|---------------------|
| (1) Flowering | (2) Cell elongation |
| (3) Dormancy  | (4) Germination     |

78. Frame-shift mutation will be produced by :

- |                          |                          |
|--------------------------|--------------------------|
| (1) Addition of 11 bases | (2) Addition of 12 bases |
| (3) Deletion of 9 bases  | (4) Base substitution    |



**18P/287/22(Set-1)**

- 79.** According to the current view, heterosis is the result of :  
(1) Overdominance  
(2) Mainly dominance plus overdominance  
(3) Dominance  
(4) Epistasis
- 80.** Isozymes represent variation in :  
(1) heat stability  
(2) substrate specificity  
(3) pI optima  
(4) electrophoretic mobility
- 81.** The strongest effects on protein function are caused by mutations due to :  
(1) base substitution  
(2) frame-shift  
(3) transition  
(4) transversion
- 82.** In a salivary gland cell of *Drosophila*, the number of giant-chromosomes will be :  
(1)  $4n$                       (2)  $3n$                       (3)  $n$                       (4)  $2n$
- 83.** Which of the following is the most gentle method of drying ?  
(1) Freeze drying  
(2) Spray drying  
(3) Vacuum drying  
(4) Sun drying
- 84.** Ribosomes are produced in :  
(1) Endoplasmic reticulum  
(2) Golgi bodies  
(3) Nucleolus  
(4) Cytosol
- 85.** Which of the following aberrations can alter the morphology of a chromosome without changing its gene content ?  
(1) Inversion              (2) Deletion              (3) Duplication              (4) Translocation
- 86.** In an acrocentric chromosome, the centromere is located :  
(1) in the middle of the chromosome  
(2) at one end of the chromosome  
(3) between one end and the middle of the chromosome  
(4) very close to one end of the chromosome

**18P/287/22(Set-1)**

- 87.** Each chromosome comprises two chromatids during :
- (1) G1 phase (2) G2 phase  
(3) S phase (4) Telophase
- 88.** Fruit development without pollination is known as :
- (1) parthenocarp (2) parthenogenesis  
(3) apomixis (4) apogamy
- 89.** The maximum use of heterosis is done by :
- (1) synthetic varieties (2) double cross hybrids  
(3) composite varieties (4) single cross hybrids
- 90.** Selfing in which of the following will produce genetic variation ?
- (1) Pureline (2) Clone  
(3) Inbred line (4) Inbred line and clone
- 91.** Endosperm is present in the seeds of :
- (1) Pea (2) Groundnut (3) Mustard (4) Pigeon pea
- 92.** Which of the following crops is often cross-pollinated ?
- (1) Pigeon pea (2) Pea (3) Wheat (4) Maize
- 93.** Sister chromatids separate during which of the following stages ?
- Stage :**
- I. Mitotic anaphase  
II. Anaphase I  
III. Anaphase II
- (1) I, II (2) II, III  
(3) I, III (4) I, II, III

94. Chromosome pairing occurs in which of the following cells ?

Cells :

- I. Megaspore mother cells
- II. Microspores
- III. *Drosophila* salivary gland cells
- IV. Pollen mother cells

- (1) I, II, III
- (2) I, III, IV
- (3) II, III, IV
- (4) I, II, III, IV

95. The most common euploid state is :

- (1) triploid
- (2) tetraploid
- (3) haploid
- (4) diploid

96. The  $F_1$  from two white-flowered plants has red flowers. The  $F_2$  generation of this cross would show :

- (1) 9 red : 7 white
- (2) 13 red : 1 white
- (3) 15 red : 1 white
- (4) 3 red : 1 white

97. The following progenies are obtained from the test cross  $AaBb \times aabb$ .

$AaBb$	10
$Aabb$	40
$aaBb$	40
$aabb$	10

The above results suggest :

- (1) coupling phase linkage
- (2) independent assortment
- (3) lethal gene action
- (4) repulsion phase linkage

98. Which of the following is test cross ?

- (1)  $AaBb \times Aabb$
- (2)  $AaBb \times aabb$
- (3)  $AaBb \times AaBb$
- (4)  $AaBb \times aaBb$

99. Which of the following biochemicals is produced from plant cell cultures on commercial scale?

I. Taxol      II. Shikonin      III. Berberine

- (1) I, II                                      (2) I, II, III  
(3) II, III                                    (4) I, III

100. Which of the following commercial preparations is invariably a recombinant protein?

- (1) Human insulin                      (2) Rennet  
(3) Lactase                                (4) Papain

101. CO<sub>2</sub> incubators are used for :

- (1) plant tissue cultures                      (2) microbial cultures  
(3) animal cell cultures                      (4) algal cultures

102. Commercial scale biochemical production from plant tissue cultures is base on :

- (1) root cultures                      (2) callus cultures  
(3) shoot cultures                  (4) suspension cultures

103. The least polluting energy is :

- (1) fossil fuel energy                      (2) solar energy  
(3) biofuel energy                         (4) coal energy

104. 'Probiotics' contain :

- (1) live microorganisms
- (2) inactivated microorganisms
- (3) purified proteins
- (4) vitamins and proteins

105. The safest vaccines are :

- (1) purified antigen vaccines
- (2) attenuated pathogen vaccines
- (3) inactivated pathogen vaccines
- (4) recombinant vaccines



106. Which of the following is **not** related to transgene ?  
(1) transferred by recombinant DNA technology  
(2) synthesized chemically  
(3) from another organism  
(4) from a related species
107. The somatic chromosome complement of a plant is  $2n - 1 - 1$ . This plant is known as :  
(1) monosomic (2) double trisomic  
(3) double monosomic (4) nullisomic
108. By definition, self-pollination is essential for propagation of :  
(1) clones (2) purelines  
(3) inbreds (4) synthetics
109. A ring of four chromosomes will be seen at MI of :  
(1) inversion heterozygote (2) inversion homozygote  
(3) translocation heterozygote (4) translocation homozygote
110. A single chromosome break can produce :  
(1) inversion (2) duplication  
(3) translocation (4) deletion
111. Apomixis is most prevalent in :  
(1) Graminae (2) Cruciferae (3) Solanaceae (4) Leguminosae
112. In *Drosophila*, maleness is determined by :  
(1) Y chromosome (2) X chromosomes  
(3) autosome (4) autosomes and X chromosomes
113. Which is the most widely used method for creation of genetic variation ?  
(1) Interspecific hybridization (2) Intervarietal hybridization  
(3) Genetic transformation (4) Mutagenesis

18P/287/22(Set-1)

114. Which of the following factors affects disease development ?

Factors :

I. Host plant genotype

II. Environment

III. Pathogen genotype

(1) I, II, III

(2) I, II

(3) I, III

(4) II, III

115. Emasculation is easiest in :

(1) pea

(2) maize

(3) pigeonpea

(4) barley

116. 'Chemical hybridizing agents' :

(1) promote cross-pollination

(2) promote femaleness

(3) promote pollen germination

(4) induce male sterility

117. The notation 'species A + species B' represents :

(1) a species hybrid

(2) a sexual hybrid

(3) an allopolyploid

(4) a somatic hybrid

118. Sporophytic self-incompatibility is found in :

(1) Solanum

(2) Tomato

(3) Brassica

(4) Papaver

119. Bt-brinjal has been approved for cultivation in :

(1) Bangladesh

(2) India

(3) Nepal

(4) Pakistan

120. Which of the following disciplines aims to modify crop genotypes ?

Disciplines :

I. Plant breeding

II. Plant physiology





III. Plant biotechnology

(1) I, II

(2) I, III

(3) II, III

(4) I, II, III



# MSc

## Entrance Exam Combo Set

### Biotechnology & Life Sciences



<https://www.amazon.in/Pathfinder-Academy-Biotechnology-Sciences-Entrance/dp/8190642766>



<https://www.flipkart.com/pathfinder-academy-m-sc-biotechnology-life-sciences-entrance-exam-combo-set/p/itmeqchtfm9nkytk?>

## Pathfinder Academy

pathfinderacademy.in | 9818063394

**FOR ROUGH WORK / रफ़ कार्य के लिए**



## अभ्यर्थियों के लिए निर्देश

(इस पुस्तिका के प्रथम आवरण-पृष्ठ पर तथा ओ०एम०आर० उत्तर-पत्र के दोनों पृष्ठों पर केवल नीली/काली बाल-प्वाइंट पेन से ही लिखें)

1. प्रश्न-पुस्तिका मिलने के 30 मिनट के अन्दर ही देख लें कि प्रश्नपत्र में सभी पृष्ठ मौजूद हैं और कोई प्रश्न छूटा नहीं है। पुस्तिका दापयुक्त पाये जाने पर इसकी सूचना तत्काल कक्ष निरीक्षक को देकर सम्पूर्ण प्रश्नपत्र की दूसरी पुस्तिका प्राप्त कर लें।
2. परीक्षा भवन में प्रवेश-पत्र के अतिरिक्त, लिखा या सादा कोई भी खुला कागज साथ में न लायें।
3. OMIR उत्तर-पत्र अलग से दिया गया है। इसे न तो मोड़ें और न ही विकृत करें। दूसरा OMIR भवन-पत्र में दिया जायेगा। केवल OMIR उत्तर-पत्र का ही मूल्यांकन किया जायेगा।
4. ऊपर दिये गये सभी स्थानों की प्रविष्टियों को काल / नीले बाल-प्वाइंट पेन से लिखें।
5. OMIR उत्तर-पत्र के प्रथम पृष्ठ पर पेन से अपना अनुक्रमांक निर्धारित स्थान पर लिखें तथा नीचे दिये वृत्तों को गाढ़ा कर दें। जहाँ-जहाँ आवश्यक हो वहाँ प्रश्न-पुस्तिका का क्रमांक तथा सेट का नम्बर उचित स्थानों पर लिखें।
6. ओ० एम० आर० उत्तर-पत्र पर अनुक्रमांक संख्या, प्रश्न-पुस्तिका संख्या व सेट संख्या (यदि लागू हो) को प्रश्न-पुस्तिका पर अनुक्रमांक संख्या और ओ० एम० आर० उत्तर-पत्र संख्या की प्रविष्टियां न भ्रमणपूर्ण की अनुमति नहीं है।
7. अनुज्ञित प्रविष्टियों में कोई भी परिवर्तन कक्ष निरीक्षक द्वारा प्रमाणित होना चाहिए अन्यथा यह अनुज्ञित साधन का प्रयोग माना जायेगा।
8. प्रश्न-पुस्तिका में प्रत्येक प्रश्न के चार वैकल्पिक उत्तर दिये गये हैं। प्रत्येक प्रश्न के वैकल्पिक उत्तरों में सही उत्तर आपकी OMIR उत्तर-पत्र की सम्बन्धित पंक्ति के सामने दिये गये वृत्त को उत्तर-पत्र के प्रश्न पत्र पर प्रविष्टि स्थान निर्देश के अनुसार बाल-प्वाइंट पेन से गाढ़ा करना है।
9. प्रत्येक प्रश्न के उत्तर के लिये केवल एक ही वृत्त को गाढ़ा करें। एक से अधिक वृत्तों को गाढ़ा करने से प्रत्येक एक वृत्त को अपूर्ण करने पर वह उत्तर गलत माना जायेगा।
10. ध्यान दें कि एक बार सही उत्तर अंकित करने पर आप वापस नहीं जा सकते हैं। यदि आप किसी प्रश्न को उत्तर नहीं देना चाहते हैं, तो सम्बन्धित पंक्ति के सामने दिये गये सभी वृत्तों को खाली छोड़ दें। इस स्थिति पर सख्त अनुमति दी जायेगी।
11. एक वृत्त को लिखें इस पुस्तिका के मुद्रापत्र के अंदर वाला पृष्ठ तथा अंतिम आवरण पर भी लिखें।
12. परीक्षा के उपरान्त अभ्यर्थी ओ० एम० आर० उत्तर-पत्र परीक्षा कक्ष/भवन में निरीक्षक की अवस्था सौंप दें। जबकि अभ्यर्थियों को प्रश्न-पुस्तिका और ओ० एम० आर० उत्तर-पत्र की कापी अपने साथ ले जाने की अनुमति है।
13. अभ्यर्थी को परीक्षा समाप्त होने से पहले परीक्षा भवन से बाहर जाने की अनुमति नहीं दी जायेगी।
14. यदि कोई अभ्यर्थी परीक्षा में अनुज्ञित साधनों का प्रयोग करता है, तो वह विश्वविद्यालय द्वारा निर्धारित दण्ड का/की भागी होगा/होगी।