ENTRANCE EXAMINATION - 2020

M.Sc. Plant Biology & Biotechnology Department of Plant Sciences

Time: 2 hours

Maximum Marks: 100

HALL TICKET NO.

INSTRUCTIONS

Please read carefully before answering the questions:

- 1. Write your Hall Ticket Number in the OMR Answer Sheet given to you. Also write the Hall Ticket Number in the space provided above.
- 2. There is negative marking. Each wrong answer carries -0.33 mark.
- 3. Answers are to be marked only on the <u>OMR answer sheet</u> following the instructions provided there upon.
- 4. Hand over the OMR answer sheet at the end of the examination to the Invigilator.
- 5. No additional sheets will be provided. Rough work can be done in the question paper itself/space provided at the end of the booklet.
- The question paper contains 100 questions (Part-A: Question Nos. 1-25 and Part-B: Questions Nos. 26-100) of multiple-choice printed in <u>16</u> pages, including this page. <u>One OMR answer sheet</u> is provided separately. Please check.
- 7. Each question carries one mark.
- 8. The marks obtained in Part-A will be used for resolving the tie cases.
- 9. Calculators and mobile phones are NOT allowed.

¢

PART - A

PART - A			
1. One of the following is an	n instrument used to n	▲	l of leaf tissues:
A. Psychrometer		B. Hygrometer	
C. Hydrometer		D. Electro diodo-m	eter
2. The organism that is suit	table for manning the	gene with respect to a	entromere is
A. Sachharomyces c		B. Chlamydomonas	
C. Aspergillus nidula		D. Neurospora cras	
3. The stain used to test set	ad viability based on t	the nink colour develo	and by the living good
tissue contains one of the	•		ped by the fiving seed
A. Molybdenum	—	C. Sodium	D. Propidium
4. A cross was made in st	hapdragon plant betwo	een AB/ab x ab/ab. V	What proportion of the
progeny will be aabb if t	-		
A. 12%	B, 24%	C. 38%	D. 50%
		•	
5. The key switches in sign	nal transduction circui	ts regulating gene exp	ression are:
A. Internal transcribe	ed spacer	B. Transcription fa	ctor
C. Open reading fram	ne	D. Coding sequenc	e
6. Removal of male organs			*
A. Hibernation	B. Aestivation	C. Coronation	D. Emasculation
7. The mating of plants in a	all possible combinati	on is known as:	
A. Recurrent mating	-	B. Diallel mating	
C. Sib mating		D. Line X tester ma	ating
8. The arrangement of pet	als and senals in a flo	wer hud before it oper	e is known as
A. Anthesis	B. Aestivation	C. Phyllotaxy	D. Vernalization
A. Anticolo	D. Acouvation	C. I Hynouxy	
9. When a cell is fully turg	id which of the follow	wing will be zero?	
A. Osmotic pressure		B. Wall pressure	
C. Suction pressure		D. Turgor pressure	
10 TT 1 (1 1			
10. Hydathodes are: A. Honey glands		B. Mucilage secret	ing alanda
C. Water secreting g	lands	D. Oil secreting gla	00
11. Deamination of 5-methy	• • –	·	
A. Uracil	B. Thymine	C. Cytosine	D. Guanine
12. One centimorgan is defined as the genetic distance between two loci with a statistically			
corrected recombination fre			iour with a statistically
A. 0.1%	B. 0.5%	C. 1%	D. 10%
1 X. V. L / V		V. 17V	LA, 10/0

13. Which of the following amino acid in proteins cannot be post-translationally modified? B. Serine C. Tyrosine D. Alanine A. Cysteine

14. Reverse transcriptase is

A. DNA dependent DNA polymerase	B. RNA dependent RNA polymerase
C. RNA dependent DNA polymerase	D. DNA dependent RNA polymerase

15. A plant species nearing its extinction due to virus infection has been given for tissue culture and micropropagation. Scientists choose the below four explants for culturing:

1. Meristem

2. Shoot tip

3. Leaf disc

4. Root tip

Which explants would have produced virus free plants?

B. 1 and 3 C. 2 and 3 A. 1 and 2 D. 2 and 4

16. Consider the following statements on the common features between phase-contrast and dark-field microscopes:

1. Both increase contrast between specimen and background without staining.

2. Both make specimen fluoresce on a dark background.

3. Both make specimen appear dark on a bright background without staining.

4. Both make specimen visible that refract light away from the objective.

"Which of the above is/are true?"

B. 1 and 2 C. 3 only D. 3 and 4 A. 1 only

17. How would you measure the transcript abundance of a particular gene?

A. by performing Western Blot B. by performing Northern Blot

C. by performing Southern Blot

D. by performing Immunoblot

18. Though DNA and RNA are nucleic acids, isolation of RNA in the laboratory requires extreme precautions and pre-preparations than isolating DNA. This could be because:

1. DNA content of a cell is more, but RNA will be present in lesser concentrations, and therefore, care should be taken to avoid loss.

2. RNA is smaller in size than DNA, so it requires stringent procedures to capture those smaller molecules.

3. RNA is unstable and prone to degradation, but DNA is relatively stable that eases DNA isolation.

4. DNA is bound to proteins that safeguard the molecule, but RNA is naked, which makes the separation difficult.

Which of the above statement(s) is/are correct? B. 1 and 2

A.1 only

C. 3 only

D. 3 and 4

19. Identify the mismatch

A. Zooxanthellae - Pyrrophyta

B. Cephaleuros - Paracitic

C. Ulothrix - Branched filaments

D. Red algae - Phycoerythrin

20. To survive harsh environments, plants have acquired several adaptations with specialized functions. Below is the list of traits (A) and their potential role (B).

Α	В
p. Waxy cuticle	1. Mechanical support
q. Thick or lignified cell wall	2. Protection against excess light
r. Homoiohydry	3. Restrict water loss
s. Pigmentation	4. Vascular system
Identify the correct match.	
A. p-4, q-2, r-1, s-3	B. p-3, q-1, r-4, s-2
C. p-3, q-2, r-1, s-4	D. p-4, q-1, r-2, s-3
21. Plankton will be absent in	
A. Lotic biome B. Lentic biome	C. Marine biome D. Lakes
22. The most commonly used stain for producir	ng bands on chromosomes for karyotyping is
A. Gentian violet B. Methylene blue	e C. Giemsa D. Acid fuchsin
23. Cistron is the	
A. Smallest unit of recombination	B. Genetic unit of biochemical function
C. Smallest unit that can undergo mutation	on D. Largest unit that can undergo mutation
24. Winged Bean is the popular name of	
A. Phaseolus vulgaris	B. Cyamopsis tetragonoloba
C. Dolichos lablab	D. Psophocarpus tetragonolobus
25. The feature unique to monocotyledonous roo	ot is
	Small pith •

C. Polyarch xylem D. Radial arrangement of vascular bundles

PART - B

26. Which of the following statement about keratin protein of hair, wool and nail is fa	26.	Which of the following	g statement about keratin	protein of hair, woo	ol and nail is <u>fak</u>
---	-----	------------------------	---------------------------	----------------------	---------------------------

A. Exhibits α-helical structure

B. Is a fibrous structural protein

C. Exhibits stability due to hydrogen bond and disulphide linkages

D. Is a non-fibrous structural protein

27. Charcoal rot, also known as dry-weather wilt is caused by

A. Macrophomina phaseolina B. Sclerotium rolfsii

C. Fusarium graminearum

D. Mycosphaerella graminicola

28. Electroporation is an experimental technique adopted in

- A. Tissue culture B. Induction of polyploidy
- C. Embryo rescue D. Genetic engineering

29. 2, 4-Dichlorophenoxy acetic acid is generally used as

A. Fungicide	B. Pesticide
C. Wormicide	D. Herbicide

30. The C4 plants are different from the C3 plants with reference to the

- A. Type of end products of photosynthesis
- B. Number of ATP molecules that are consumed in preparing sugar

C. Type of pigments involved in photosynthesis

D. Substance that accepts CO₂ in Calvin's cycle

31. Match the following

p. Rock weed	1. Chondrus	
q. Gulfweed.	2. Cladonia	
r. Reindeer moss	3. Sargassum	
s. Irish moss	4. Fucus	
A. p-1, q-2, r-3, s-4		B. p-3, q-4, r-2, s-1
C. p-4, q-3, r-2, s-1		D. p-3, q-4, r-1, s-2

32. Amphidiploidy has played a major role in the production of new species of *Brassica*. The chromosome number of *B. juncea*, an amphidiploid that is produced by crossing *B. nigra* (2n = 16) with *B. campestris* (2n = 20) is
A. 18 B. 26 C. 28 D. 36

33. Tic/Toc complex is associated with import of proteins intoA. NucleusB. ChloroplastC. MitochondriaD. Cell wall

34. Which of the following	ng genera has two pola	r nuclei in its mature e	mbryo sac?
A. Orchis	B. Oenothera	C. Plumbago	D. Nymphaea

- 35. Members of which of the following families usually lacks endosperm?A. BrassicaceaeB. OnagraceaeC. PiperaceaeD. Orchidaceae
- 36. Which of the following class of genes does not act as transporters in plants?

 A. PIN proteins
 B. AP2/ERF

 C. ABC transporters
 D. Aquaporin

37. Choose the <u>right</u> answer for the given statements on the location of photosystems (PS) in chloroplast

Statement 1: PS II mostly occurs in the stacked region of the thylakoids

Statement 2: PS I is predominantly present in the unstacked regions of the thylakoids

- A. Statement 1 is correct whereas statement 2 is false
- B. Statement 2 is correct whereas statement 1 is false
- C. Both statements are true
- D. Both statements are false

38. Apomixis is the type of reproduction which results in

A. Development of plants without fusion of gametes

B. Development of plants from fusion of gametes

C. Development of embryo from tapetal cells

- D. Development of embryo from endosperm
- 39. Pectin, a component of plant cell wall, is stained by

A. Phosphorus B. Potassium C. Acetocarmine D. Ruthenium red

40. Characteristic curling of root hairs in plants is associated with the assimilation of
A. Sudan IIIB. IodineC. NitrogenD. Boron

41. Match the acronyms listed in the first column with the corresponding expanded form present in the second column

p. CRISPR	1.RNA interference
q. RNAi	2. Messenger RNA
r. TALEN	3. Clustered regularly interspaced short palindromic repeats
s. miRNA	4. Clustered randomly interspaced short palindromic repeats
	5. MicroRNA
	6. Transcription activator-like effector nuclease
	7. Transcription activator-like endo nuclease

A. p-3, q-7, r-6, s-5 C. p-4, q-1, r-7, s-2 B. p-3, q-1, r-6, s-5 D. p-4, q-1, r-7, s-5

42. Significance of Reyno A. Inertial force /		B. Inertial force /	viscous force
C. Pressure force /	Inertial force	D. Inertial force /	Surface tension force
 43. If a single somatic cell in a multicellular organism harbors a mutation, it A. is usually inherited in the next generation B. has no phenotypic effect C. causes cell death D. creates hundreds of genetic alterations during DNA replication 			
44. α-D-(+)-glucose and β A. Confonmers	-D-(+)-glucose ar B. Epimers	re C. Anomers	D. Enantiomers
45. Match the following: p. Co-enzy q. Competi r. Trypsin s. Km and t. α-Helix	tive inhibition	 Michaelis Menten Vitamin Succinic dehydrogenas Right-handed Alkaline pH 	se by malonic acid
A. p-5, q-2, r-1, s-3 C. p-2, q-3, r-5, s-3		B. p-2, q-4, r-5, s- D. p-2, q-3, r-4, s	-
46. How many EDTA (e octahedral complex v	-	etraacetic acid) molecules a	are required to make an
A. Six	B. Three	C. One	D. Two
47. Which one of the follo	owing pair is <u>not</u> :	matched?	
• A. Mg & Chlorop		B. Cu & Cytoch	rome
C. Mn & Nitroger	nase	D. Mo & Nitrate	reductase I
48. A student wanted to a	prepare 2500 mL	buffer containing 100 mM	Sodium acetate pH 4.0

- 48. A student wanted to prepare 2500 mL buffer containing 100 mM Sodium acetate pH 4.0 containing 0.01% NaCl. He has the stocks of 2M Sodium acetate buffer pH 4.0; and 10% NaCl solution. What volumes of the given stock solutions he has to mix in distilled water for preparing 2500 mL of the above reaction buffer?
 - A. 125 mL of Sodium Acetate; and 2.5 mL of NaCl
 - B. 1.25 mL of Sodium Acetate ; and 25 mL of NaCl
 - C. 12.5 mL of Sodium Acetate; and 0.25 mL of NaCl
 - D. 120 mL of Sodium Acetate; and 2.5 mL of NaCl

49. Identify the monounsaturated fatty acid given below

A. Linoleic acid	B. Linolenic acid
C. Arachidonic acid	D. Oleic acid

50. Match the cell organelles in Group I with their functions listed in Group II

Group I	Group II
p. Peroxisome	1. Storage of starch granules
q. Mitochondria	2. Detoxification
r. Ribosome	3. Proton gradient formation
s. Leucoplast	4. Protein synthesis
A. p-3, q-2, r-1, s-4	B. p-2, q-4, r-3, s-1
C. p-2, q-3, r-4, s-1	D. p-1, q-3, r-4, s-2

51. The basis of precipitation of proteins by ammonium sulfate is best described by which of the following statements?

A. Proteins become insoluble when they bind the ammonium ion

B. Proteins become insoluble when they bind sulfate ion

C. Addition of ammonium sulfate adjusts the pH to the isoelectric point of the proteins D. Ammonium sulfate binds water molecules, making them less available for hydration of proteins

52. Match the following Disease with Pathogen/Causative factor

p. Creutzfeldt-Jakob	1. Fungi
q. Pseumocystis	2. Virus
r. Legionnaries disease	3. Prion
s. Rabies	4. Bacteria
	5. Helminthes
A. p-2, q-1, r-4, s-3	B. p-3, q-1, r-4, s-2
C. p-1, q-2, r-5, s-4	D. p-5, q-4, r-1, s-3

53. One student from Kozhikode district of Kerala got his admission in Wuhan University, China for his PhD. He travelled to Wuhan University during first week of January 2020 to start his semester. Within one week of his arrival in Wuhan, he became sick and consulted University Health Center. Based upon his symptoms, doctor immediately suggested him for "Widal Test". His Widal test report was positive. Which disease/pathogen he was suffering from?

A. Covid-19 B. Nipah Virus C. Typhoid D. Weil's disease

54. One scientist has given a genomic DNA sample of a plant species to his research scholar and asked him to amplify a specific gene of interest "xyz" using the available components in the lab. As suggested, he mixed all the components and performed the experiment which was finally failed. Upon investigation, his supervisor realized that his student forgot to add one very important component to the tube. His student mixed the following in the tube: genomic DNA, pairs of primers, 4 types of dNTPs, buffer and dH₂O. Which component his student forgot to add in the tube?

A. EcoRI B. Taq Polymerase C. EtBr D. DNA ligase

55. Which of the chemical formula belong to Valeric acid?

A. CH₃CH₂CH₂CH₂COOH C. BrCH₂COOH

B. HOCH₂COOH D. ClCH₂CH₂COOH 56. What is the term "Amphipathic" means?

A. Those pathogens which infect only amphibian animals

B. Those pathogens which infect only amphioxus animals

C. A chemical compound or biomolecule which possess both hydrophilic and

hydrophobic properties

D. This term is used for describing amphibolic pathway

57. When a protein solution containing tyrosine and tryptophan is warmed with concentrated nitric acid, it has turned to yellow color because of nitration of aromatic ring. This test is called

A. Xanthoproteic test	B. Biuret test
C. Hopkins-Cole test	D. Million's test

58. When diazonium fluoroborate was dried and heated it gave aryl fluoride. This process of preparing fluorobenzene is called

A. Sandmeyer's Reaction	B. Schiemann Reaction
C. Gomberg Reaction	D. Gatterman's Reaction

59. Which of the following reaction is popularly known as Wittig reaction?

- A. Treatment of aldehyde and ketone with phosphorous to form alkenes
- B. Formaldehyde reacts with conc. NaOH solution to form methanol and sodium formate
- C. Formation of toluene from benzene
- D. Formation of chlorobenzene from benzene diazonium chloride
- 60. Which of the following human disease is caused by helminth?

A. Grave's disease	B. Trichomoniasis
C. Trichuriasis	D. Tinea corporis

61. When ethylene is treated with Sulphur monochloride, a toxic product is obtained. This product is

A. Tear gas	B. Chloroform	C. Phosgene gas	 D. Mustard gas

62. In plant biology studies some of the abbreviated terms are used which are listed in Column-A. Match its best combination present in Column-B and select the <u>correct</u> answer.

Column-A	Column-B	
p. Xa21	1. Name of a plant X-chromosome	
q. SmaI	2. A type of fluorescent dye	
r. DAPI	3. DNA based marker technique	
s. RFLP	4. A Restriction Endonuclease enzyme	
	5. Rice disease resistance gene"	
A. p-5, q-4, r-3, s-2	B. p-5, q-4, r-2, s-3	
C. p-1, q-4, r-2, s-3	D. p-4, q-5, r-2, s-3	

63. Which of the following is considered as a secondary metabolite of higher plants? A. Phospholipid B. Adenine C. Carotenoid D. Fructose

B. Rauwolfia serpentina
D. Piper nigrum
B. Lamiaceae
D. Liliaceae

66. Plant tannins are

A. Polyphenolic compounds	B. Alkaloids
C. Polyterpenoids	D. Nucleo-protein complexes

67. Match the common names of the plants listed in the left panel with their scientific names from the right panel, and choose the <u>correct</u> answer.

Common name	Scientific name		
p. Finger millet	1. Avena sativa L		
q. Foxtail millet	2. Pennisetum glaucum L.		
r. Pearl millet	3. Eleusine coracana L.		
s. Oat	4. Setaria italica L.		
	5. Secale cereale L.		
A. p-2, q-4, r-3, s-1	B. p-3, q-4, r-2, s-1		
C. p-2, q-5, r-3, s-1	D. p-5, q-4, r-1, s-2		
68. Match the following:			
p. Lysine	1. Guanidino group		
q. Aromatic Amino	acid 2. Positive charge R group		
r. Cystine	3. Alanine		
s. Arginine	4.Tyrosine		
t. α- helical structur	e 5. Sulfur		
	6. Glycine		
A. p-2, q-4, r-5, s-1, t-3	B. p-1, q-4, r-5, s-6, t-3		
C. p-2, q-6, r-5, s-1, t-3	D. p-1, q-4, r-2, s-5, t-6		

69. Match the following and choose the correct combination

p. Rho and Rac proteins	1. Ser/Thr kinase
q. Rb	2. Tumor suppressor gene
r. MAPKs	3. GTP-binding proteins
s. Bad	4. Apoptotic factor
A. p-2, q-3, r-4, s-1	B. p-2, q-4, r-3, s-1
C. p-3, q-2, r-1, s-4	D. p-4, q-1, r-2, s-3

70. Match the following and choose the correct answer given below

p. Inbred q. Pureline r. Clone s. Hybrid	 Vegetatively propagated plants First Filial Progeny Self-pollinated plant progeny Cross-pollinated plant progeny
A. p-1, q-2, r-4,s-2	В. p-3,q-1, г-4,s- 2
C. p-4, q-3, r-1,s-2	D. p-1,q-3, г- 2,s-4

71. In E. coli, four Hfr strains donate the following genetic markers shown in the order donated Strain 1: Q W D M T, Strain 2: A X P T M Strain 3: B N C A X, Strain 4: BQWDM

All of these Hfr strains are derived from the same F⁺ strain

What is the order of these markers on the circular chromosome of the original F+?

A. Q,W,D,M,T,P,X,A,C,N,B,Q	B. T, P, X, A, C, N, B, Q, W, D, M
C. Q, W, D, M, N, B, Q, T, P, X, A, C	D. Q, T, P, X, A, C, N, B, Q, W, D, M

72. miRNAs have been shown to play a significant role in gene expression. Some miRNAs induce gene silencing by binding to mRNAs and inducing inhibition of translation. On the other hand, there are miRNAs that bind to mRNAs and activate their degradation. The following characteristics can be applicable to the miRNAs that inhibit mRNA translation:

- 1. miRNA is partially complementary to a region of target mRNA in the 3° UTR.
- 2. miRNA always base pairs with full mRNA and a AU-rich sequence
- 3. miRNA base pairs with mRNA through 6-7 nucleotides at its 5' end referred to as "seed sequence" as well as few additional base elsewhere.
- 4. miRNA is always partially complementary to the conserved sequence of the target mRNA.

Choose the correct options from the following:

A. 1 and 2 B. 1 and 3 C. 1 and 4 D. 2 and 4

73. When the dihybrid ratio (9:3:3:1) gets modified to 9: 3: 4 due to gene interaction, then it is referred as

A. Dominant epistasis		÷.,	B. Recessive epistasis
-----------------------	--	-----	------------------------

C. Duplicate recessive epistasis D. Duplicate dominant epistasis

74. Promoter is

- A. Upstream RNA sequence of a mRNA, which is recognized by translation initiation factors in order to initiate translation
- B. Upstream DNA sequence of a gene, which is recognized by RNA polymerase in order to initiate transcription
- C. Sequence of amino acids in a protein, which promote catalysis of an enzyme
- D. Sequence of amino acids in a protein, which specifically promote oxidative/ reductive reaction.

75. Regarding the relationship between two organisms in an ecosystem, match the following

Group I	Group II
p. Commensalism	1. Both organisms are benefited
q. Mutualism	2. One impeding the success of the other
r. Parasitism	3. One organism benefits but the other is unaffected
s. Amensalism	4. One benefited, other is harmed
A. p-1, q-2, r-3, s-4	B. p-2, q-3, r-4, s-1

A. p-1, q-2, 1-3, 8-4	D. p-2, q-3, 1-4, 5-1
C. p-3, q-1, r-4, s-2	D. p-1, q-4, r-3, s-2

76. Mutation in a gene x in *Arabidopsis thaliana* results in more number of lateral root formation. Which one of the following is the **correct** statement?

A. The gene product acts as a positive regulator of lateral root formation.

B. The gene product acts as a negative regulator of lateral root formation.

C. The gene product is not likely to be involved in lateral root formation.

D. The gene product niether promotes/reduce the lateral root development.

77. Identify the corresponding target sites for the following restriction endonucleases

Restriction endonucleases	Target site
p. EcoR I	1. GGATCC
q. BamH I	2. GCGGCCGC
r. Hind III	3. GAATTC
s. Not I	4. CTGCAG
	5. AAGCTT
A. p-3, q-5, r-1, s-2	B. p-5, q-1, r-2, s-3
C. p-3, q-2, r-5, s-1	D. p-3, q-1, r-5, s-2

78. Match the scientists names given in the Panel-A with their contributions given in the Panel-B and choose the <u>correct</u> answer

Panel-A	Panel-B	
p. H. J. Muller	1. Non-disjunction proof that chromosomes contain genes	
q. C. Bridges	2. Demonstration of extra nuclear inheritance in higher plants	
r. B. Mcclintock	3. Mutagenic effect of X-rays in Drosophila flies	
s.T. H. Morgan	4. Discovery of mobile genetic elements	
	5. Discovery of sex-linkage	
A. p-3, q-1, r-4, s-5	B. p-3, q-5, r-4, s-2	
C. p-5, q-1, r-2, s-3	D. p-5, q-1, r-4, s-2	

79. Which of the following can form a part of a Biosensor?

1. Enzyme	2. Antibody	3. Lipid	4. Vitamin
A. 2 and 4 are correct		B. 2 and 3 a	re correct
C. 1 and 2 are correct		D. 1, 2 and 3	3 are correct

80. Match the aneuploid condition of a diploid organism given in Panel A with the description given in Panel B and choose the <u>correct</u> answer

Panel A -	Panel B	
p. Nullisomy	1. Gain of a single chromosome	
q. Monosomy	2. Loss of a single chromosome	
r. Trisomy	3. Gain of two homologous chromosomes	
s. Tetrasomy	4. Loss of both members of a homologous pair of	
	chromosomes '	
A. p-4, q-1, r-2, s-3	B. p-4, q-2, r-1, s-3	
C. p-2, q-4,r-1, s-3	D. p-2, q-4, r-3, s-1	

81. Which is the set of forward and backward primer pair of below gene

- A. Forward primer 5' ATCGTGCTATTCGTCG 3' Backward primer 5'CGGATCGAATCTAGCTT 3'
- B. Forward primer 5' ATCGTGCTATTCGTCGA3' Backward primer5'CGAGTCGAGTCAGCTTA 3'
- C. Forward primer 5' ATCGTGCTATTCGTCG3' Backward primer5'5, CGAGTGCAGTAATGCTT 3'
- D. Forward primer 5' ATCGTGCTATTCGTCG 3, Backward primer5' TAGCACGATAAGCAGC 3'

82. Homeobox sequence is

- A. Integration site for viruses
- B. Junk DNA sequences
- C. Conserved sequences which regulate development of many animal species
- D. Transcription start site
- 83. Match the below research institutes with places \sim

Research Institutes

- p. International Crops Research Institute for the Semi-Arid Tropics
- q. National Institute of Virology
- r. Indian Institute of Horticultural Research
- s. Institute of Forest Genetics and Tree Breeding

- Places 1. Coimbatore
- 2. Bangalore
- 3. Hyderabad
- 4. Pune
- 5. Delhi

A. p-3, q-4, r-2, s-1	B. p-2, q-4, r-1, s-3
C. p-1, q-5, r-4, s-3	D. p-2,q-4, r-5, s-1

84. Ribulose-1,5-bisphosphate carboxylase oxygenase is also called as

A. Carboxytetra mutase

B. Carboxypetamutase

C. Carboxytrimutase

D. Carboxydimutase

85. Which of the following are involved in the derivation of induced pluripotent stem (iPS) cells from somatic cells?

A. BMPs and Activins	B. EGF and FGF
C. Insulin and growth hormone	D. Sox2, cMyc, Oct-4, KLF4

86. Nitrogen fixation is **not**:

A. Carried out by cyanobacteria	B. Carried out by higher plants
C. Carried out by fungi	D. Carried out by Rhizobium

87. In Mendel's experiments, the spherical seed character (SS) is completely dominant over the dented seed character (ss). If the characters for height were incompletely dominant, such that TT are tall, Tt are intermediate and tt are short, what would be the phenotypes resulting from crossing a spherical-seeded, short (SStt) plant to a dented-seeded, tall (ssTT) plant?

- A. All the progeny would be spherical-seeded and tall.
 - B. 1/2 would be spherical-seeded and intermediate height; 1/2 would be spherical-seeded and tall.
 - C. All the progeny would be spherical-seeded and short.
 - D. All the progeny would be spherical-seeded and intermediate height.

88. Which of the following pairs is **not** correctly matched?

A. Niacin-Pellagra	B. Vitamin B12- Pernicious anemia
C. Vitamin C- Scurvy	D. Vitamin B6-Beriberi

89. Maize seeds become viviparous when they are deficient in

A. Abscisic acid	B. Gibberellic acid
C. Indole acetic acid	D. Jasmonic acid

90. Which of the following is not present in plant cells? A. Microtubules B. Peroxisomes C. Centriole

D. Plasmodesmata

91. Glycolysis is one of the important metabolic pathway to convert the glucose to pyruvate. Identify the specific glycolysis product(s) given bellow:

1. Glucose-6-phosphate

2. Acetyl-CoA

3. Glyceraldehyde-3-phosphate

4. 2-Phosphoglycerate

A. 1, 2, 3 and 4	B. 1, 2 and 4
C. 1, 2 and 3	D. 1, 3 and 4

92. Bulbosum method has been used in barley to generate

A. doubled haploids	B. triploids
C. monosomics	D. trisomics

93. Which of the following photoreceptors has pterin as a chromophore?

A. Phytochrome	B. Cryptochrome
C. Phototropin	D. Neochrome

94. Match plant growth regulators from left panel to their effects listed in right panel and mark the correct answer

Plant growth regulator	Effect
p. Auxins	1. Breaking dormancy of seeds
q. Cytokinins	2. Promotes senescence of flowers
r. Gibberellic acid	3. Inhibits the outgrowth of axillary buds
s. Ethylene	4. Prevention of senescence
A. p-3, q-4, r-1, s-2	B. p-3, q-4, r-2, s-1
C. p-2, q-3, r-4, s-1	D. p-4, q-3, r-1, s-2

95. Which enzyme is involved in epigenetic inheritance?

A. MAPK	B. Acetyl CoA carboxylase
C. Telomerase	D. Histone methyl transferase

- 96. Flowers represent a complex array of functionally specialized structures that differ substantially from the vegetative plant body in form and cell types. Following are statements made regarding floral meristems.
 - 1. Floral meristems can usually be distinguished from vegetative meristems by their larger size.
 - 2. The increase in the size of the meristem is largely a result of increased rate of cell division in central cells
 - 3. The increase in the size of the meristem is due to larger size of the cells, which in turn results from rapid cell expansion only
 - 4. A network of genes control floral morphogenesis in plants.

Which combination of the above statements is <u>true</u>?

A. 1, 2 and 4	B. 1, 2 and 3
C. 2, 3 and 4	D. 1, 3 and 4

97. Z-DNA is one of the many possible double helical structures of DNA. However it is a
A. Right handed
C. Left handed
D. Non-linear

98. Match the terms listed in Panel A with the description indicated in Panel B and choose the **correct** answer.

Α	B	
p. Xerophyte	1. Plants adapted to non-saline soil	
q. Hydrophyte	2. Plants that grow in places with scanty water	
r. Mesophyte	3. Plants adapted to saline soils	
s. Halophyte	4. Plants grow in water may rooted in the mud	
	5. Plants that grow under average conditions of	
	temperature and moisture	
A. p-2, q-4, r-1, s-3	B. p-2, q-4, r-5, s-3	
C. p-2, q-1, r-5, s-3	D. p-3, q-5, r-4, s-2	

99. The diploid chromosome number of Zea mays is 2n = 20. The number of chromosomes and DNA molecules that are found per cell when this original cell progresses through the G2 phase of mitosis is


A. 20 and 20	B. 20 and 40
C. 40 and 40	D. 40 and 20

100. The cluster of the Oxygen Evolving Complex in photosystem II contains

A. Mn4O4Ca	B. $Mn_4O_4Ca_2$
C. Mn ₅ O ₄ Ca	D. Mn ₄ O ₅ Ca

-----//END//-----

ξ,



7e

MSc Entrance Exam Combo Set Biotechnology & Life Sciences

amazon >

https://www.amazon.in/Pathfinder-Academy-Biotechnology-Sciences-Entrance/dp/8190642766

Flipkart

https://www.flipkart.com/pathfinder-academy-m-sc-biotechnology-life-sciences-entrance-examcombo-set/p/itmegchtfm9nkytk?

Pathfinder Academy





pathfinderacademy.in 9818063394