

TEST PREP

QUESTION BANK

FOR CUET-PG | IIT-JAM | GAT-B...

PRANAV KUMAR

Former faculty,
Department of Biotechnology,
Jamia Millia Islamia (JMI),
New Delhi, India



Pathfinder Publication

New Delhi, India

PRANAV KUMAR

Former faculty,
Department of Biotechnology,
Jamia Millia Islamia (JMI),
New Delhi, India

ISBN : 978-81-989365-8-5 (paperback)

Copyright © **2025** by Pathfinder Publication, all rights reserved.

This book contains information obtained from authentic and highly regarded sources. Reasonable efforts have been made to publish reliable data and information, but the author and the publisher cannot assume responsibility for the validity of all materials or for the consequences of their use.

No part of this book may be reproduced by any mechanical, photographic, or electronic process, or in the form of a phonographic recording, nor it may be stored in a retrieval system, transmitted, or otherwise copied for public or private use, without written permission from the publisher.

Publisher : Pathfinder Publication

Production editor : Ajay Kumar

Copy editor : Jomesh Joseph

Illustration and layout : Pradeep Verma

Cover design : Pradeep Verma

Marketing director : Arun Kumar

Production coordinator : Murari Kumar Singh

Pathfinder Publication

A unit of Pathfinder Academy Private Limited, New Delhi, India.

pathfinderpublication.in

09350208235

Preface

Enhance your understanding and practice efficiently with this thoughtfully designed **TEST PREP QUESTION BANK** exclusively for **MSc BIOTECHNOLOGY** and **LIFE SCIENCES ENTRANCE EXAMS** such as **CUET-PG**, **IIT-JAM**, **GAT-B** and others. It is strategically crafted to optimize learning and save valuable time through the following key features:

- **Systematic practice of topic-wise segregated previous years' questions:** Previous years' questions (PYQs) from IIT-JAM (Biotechnology) and CUET-PG (Life Sciences and Zoology), and GAT-B along with their solutions, are organized in a topic-wise manner, providing a structured approach to learning and making it easy to target specific areas for focused practice and review.
- **Enhanced clarity and accuracy:** Previous years' questions have been thoroughly corrected and refined, including improvements to language, clarity of options, and overall accuracy—ensuring you're practicing with the highest quality material.
- **Focused and relevant:** We have strategically excluded PYQs that are purely fact-based, contain errors, or lack strong conceptual value—ensuring your practice time is spent on high-yield material.
- **Concept-based, analytical, and synthetic questions:** In addition to PYQs, this book includes similar practice-oriented questions designed to strengthen your conceptual understanding, analytical reasoning, and synthetic problem-solving skills—preparing you for complex challenges.

Acknowledgements

A book of this nature demands meticulous and dedicated efforts from all its contributors. This work is the result of collaboration among several diligent and hardworking individuals, whose commitment has shaped the book into its present form. We extend our heartfelt gratitude to each of them, with special thanks to Ankit Gupta and Ajay Kumar for their valuable contributions. We are particularly grateful to Pradeep Verma for his exceptional work in designing, layout, and organization, which played a crucial role in bringing this book to completion.

Pranav Kumar

Contents

CHAPTER 1	Biomolecules and Catalysis	01
CHAPTER 2	Metabolism	79
CHAPTER 3	Cell Biology	127
CHAPTER 4	Prokaryotes and Viruses	199
CHAPTER 5	Immunology	239
CHAPTER 6	Diversity of Life	271
CHAPTER 7	Ecology	289
CHAPTER 8	Evolution	329
CHAPTER 9	Classical Genetics	353
CHAPTER 10	Molecular Genetics	391
CHAPTER 11	Biotechnology: Principles and Application	475
CHAPTER 12	Plant Physiology and Development	517
CHAPTER 13	Human Physiology	559
CHAPTER 14	Tools and Techniques	600

Biomolecules and Catalysis

Amino acids and Peptides

01. Which of the following statements about standard amino acids are *correct*?
 - P. Amino acids have an amino group, carboxyl group and R groups.
 - Q. Only 22 standard amino acids are used in ribosome-mediated protein synthesis.
 - R. Average mass of an amino acid residue is ~110 Da.
 - S. Universal genetic code specifies only standard amino acids.
 - a. P and Q
 - b. Q and S
 - c. Q and R
 - d. P, Q, R and S
02. Which one of the following pairs of amino acids is *not* incorporated in a polypeptide chain?
 - a. 4-Hydroxyproline and γ -carboxyglutamate
 - b. γ -Carboxyglutamate and desmosine
 - c. Ornithine and citrulline
 - d. 4-Hydroxyproline and 5-hydroxylysine
03. Which of the following statements about *standard amino acids* are *correct*?
 - P. There are total 22 standard amino acids.
 - Q. Each standard amino acid is specified by codons.
 - R. Standard amino acids predominantly exhibit the L-configuration.
 - S. Standard amino acids are incorporated into peptides and polypeptides by ribosomes during translation.
 - a. P and Q
 - b. Q and S
 - c. Q and R
 - d. P, Q, R and S
04. Select the *incorrect* statement regarding standard amino acids:
 - a. Aspartate has the lowest isoelectric point (pI).
 - b. Arginine has the highest isoelectric point (pI).
 - c. The side chain pK_a value is highest for aspartate.
 - d. Isoleucine has the highest hydrophathy value among standard amino acids.

Chapter 2

Metabolism

Metabolism – General features

01. Which of the following *best* defines metabolism?
- The process of breaking down molecules to release energy.
 - The sum of all chemical reactions occurring in a cell or organism.
 - The synthesis of complex molecules from simpler ones.
 - The production of ATP through cellular respiration.
02. Which of the following statements about metabolic pathways is *incorrect*?
- Metabolic pathways are regulated by feedback inhibition to maintain homeostasis.
 - Intermediates in one pathway can serve as substrates for another pathway.
 - All metabolic pathways are linear and do not branch or intersect.
 - The rate of metabolic pathways can be influenced by enzyme concentration and activity.
03. For each option listed below, identify which are indicative of a catabolic pathway:
- Consumption of ATP
 - Reduction of compounds using NADPH
 - Energy production
 - Involvement of the cofactor NAD^+
 - Decrease in molecular complexity
- | | |
|------------|------------|
| a. 1, 2, 4 | b. 2, 3, 5 |
| c. 2, 3, 4 | d. 3, 4, 5 |
04. Which of the following statements are *correct*?
- P. ATP stores energy in high-energy phosphoanhydride bonds, which release energy when hydrolyzed.
- Q. Forming a covalent bond releases energy, while breaking one requires an input of energy.
- R. Phosphoester bonds are considered low-energy bonds compared to phosphoanhydride bonds.
- S. A living system is not an open system but a closed system.
- | | |
|---------------|------------------|
| a. P and Q | b. R and S |
| c. P, Q and R | d. P, Q, R and S |

Chapter 3

Cell Biology

Eukaryotic cell: General features and Plasma membrane

01. Which of the following statements accurately describe a eukaryotic cell?
- P. It acts as a structural and functional unit of life.
 - Q. It is an aqueous compartment surrounded by a plasma membrane.
 - R. It possesses a complex cellular organization.
 - S. Its genetic material is always a DNA molecule.
- a. P and Q
 - b. R and S
 - c. Q, R and S
 - d. P, Q, R and S
02. Which of the following statements is *not* correct?
- P. Ribosomes are present in eukaryotic cells and absent in prokaryotic cells.
 - Q. Unit-membrane bound organelles are found in eukaryotic cells.
 - R. Circular DNA in the cytosol is typically the characteristic of prokaryotic cells.
 - S. The first eukaryotic cell on Earth emerged over 3.5 billion years ago.
- a. P and Q
 - b. Q and R
 - c. P and S
 - d. P, R and S
03. A new species of organism is discovered, and initial electron microscopy reveals the presence of a distinct nucleus, mitochondria, and an extensive network of internal membranes, including rough and smooth endoplasmic reticulum. However, further analysis shows that this organism lacks chloroplasts and has a rigid external cell wall composed primarily of chitin. Based solely on this information, into which major kingdom of eukarya would this organism most likely be classified?
- a. Plantae
 - b. Animalia
 - c. Fungi
 - d. Protista
04. In which one of the following options are the cellular compartments arranged in the increasing order of their pH?
- a. Nucleus, mitochondrial matrix, *trans*-Golgi network, lysosome.
 - b. Lysosome, nucleus, *trans*-Golgi network, mitochondrial matrix.
 - c. Lysosome, *trans*-Golgi network, nucleus, mitochondrial matrix.
 - d. Lysosome, nucleus, mitochondrial matrix, *trans*-Golgi network.

[IIT-JAM]

Chapter 4

Prokaryotes and Viruses

Bacterial cell structure

01. Which statement is *true* about both prokaryotic and eukaryotic cells?
- a. Prokaryotic cells are generally much larger than eukaryotic cells.
 - b. Eukaryotic cells have ribosomes and prokaryotic cells do not.
 - c. Both have DNA as their primary genetic material.
 - d. Eukaryotic cells have plasma membranes and prokaryotic cells do not.
02. Which of the following statements about bacteria are *correct*?
- P. They are microscopic cellular organisms.
 - Q. They lack a defined nucleus.
 - R. They are typically single-celled organisms.
 - S. They have a simple cellular structure without membrane-bound organelles.
- a. P and Q
 - b. Q, R and S
 - c. P, Q and R
 - d. P, Q, R and S
03. Which of the following statements about acid-fast staining are *correct*?
- P. It is a differential staining technique.
 - Q. It distinguishes acid-fast bacteria from non-acid-fast bacteria.
 - R. It is commonly used to identify members of the genus *Mycobacterium*.
 - S. Differentiation is based on the presence of mycolic acid, a branched-chain hydroxy fatty acid.
- a. P and Q
 - b. Q, R and S
 - c. P, Q and R
 - d. P, Q, R and S
04. Which of the following statement is *correct*?
- a. Gram staining is a differential staining technique.
 - b. Action of lysozyme in Gram-negative bacteria results in formation of protoplast.
 - c. Gram staining is due to chemical nature of cell wall.
 - d. Cell wall peptide in eubacteria is made up of only L-amino acid residues.
05. Which of the following statements about carbohydrate present in peptidoglycan cell wall are *correct*?
- P. It is a structural polysaccharide providing rigidity and strength to the bacterial cell wall.
 - Q. It is classified as a heteropolysaccharide.

Chapter 5

Immunology

Innate and Adaptive immune response

01. Which of the following statements is *not* correct?
 - a. The innate immune response is not antigen specific.
 - b. The innate immune response does not generate memory cells.
 - c. The innate immune response is mounted only in invertebrates.
 - d. The innate immune response is body's first line of defense against infections.
02. Which of the following statements is the key difference between the innate and adaptive immune responses?
 - a. The innate immune response has immunological memory, whereas the adaptive immune response does not.
 - b. The innate immune response is specific to particular pathogens, while the adaptive immune response is broad and non-specific.
 - c. The innate immune response relies on pattern recognition receptors to detect pathogens, while the adaptive immune response relies on antigen-specific receptors.
 - d. The innate immune response takes longer to activate than the adaptive immune response.
03. Which of the following is a characteristic feature of the innate immune response?
 - a. It provides a rapid but non-specific defense against pathogens.
 - b. It requires prior exposure to a pathogen to be activated.
 - c. It primarily relies on antibodies for pathogen elimination.
 - d. It improves in effectiveness upon repeated exposure to the same pathogen.
04. Inflammation *does not* involve
 - a. cytokine production by macrophages.
 - b. migration of leukocytes out of the circulation.
 - c. pain and swelling at the site of infection.
 - d. secretion of antibodies.
05. Inflammatory responses may include which of the following?
 - a. Clotting proteins migrating away from the site of infection.
 - b. Increased activity of phagocytes in an inflamed area.
 - c. Reduced permeability of blood vessels to conserve plasma.
 - d. Release of substances to decrease the blood supply to an inflamed area.

Chapter 6

Diversity of Life

Taxonomy

01. Which of the following statements about *biological species concept* are *correct*?
- P. A species is a group of interbreeding natural populations that are reproductively isolated from other groups.
Q. Species are genetically distinct because they do not breed with other species, ensuring unique gene pools.
R. A species is characterized by actual or potential interbreeding, not by physical similarities alone.
S. Biological species concept is applicable to both sexually and asexually reproducing organisms.
- a. P and Q
b. R and S
c. P, Q and R
d. P, Q, R and S
02. The *biological species concept* defines species as a group of populations that are reproductively isolated from others. However, this definition is not applicable to groups where sexual reproduction has not been observed yet or is extremely rare. Choose the *correct* option of organisms where biological species concept may therefore not apply:
- a. Monocots and basal angiosperms
b. Ascomycetes and oligochaetes
c. Mosses and liverworts
d. Cyanobacteria and Euglenophyta
03. Which of the following *correctly* defines *taxon*?
- a. A method used to name organisms.
b. A group of organisms classified as a unit in a hierarchical system.
c. A set of characters used in phenetic classification.
d. A tool for identifying unknown organisms.
04. Which of the following is *true* about binomial nomenclature?
- a. It uses three names: genus, species, and variety.
b. It assigns names based on geographic location.
c. It was introduced by Carl Linnaeus and includes genus and species names.
d. The species name is always written in uppercase.
05. What does the term *type specimen* refer to in taxonomy?
- a. The specimen with the most mutations in a population.
b. A fossil used to represent an extinct species.
c. The reference specimen used when a species is first described.
d. The specimen used for genetic analysis of a species.

Chapter 7

Ecology

Environment

01. A *habitat* is
 - a. trophic level occupied by organisms.
 - b. the same as an ecosystem.
 - c. a particular area inhabited by organisms.
 - d. the number of different organisms living in a specific area.
02. Assume that an animal generates heat at a rate proportional to its volume and can radiate heat at a rate proportional to its body surface area. Which of these animals would be best at maintaining its body temperature in a cold climate?
 - a. Mouse
 - b. Rabbit
 - c. Fox
 - d. Bear
03. A population of individuals of a species that exhibit genetically fixed variations, are interfertile, and are classified under the same taxonomic species is known as:
 - a. ecads
 - b. ecotype
 - c. endemic species
 - d. keystone species
04. Which statement explains how animal body size relates to habitat temperature?
 - a. Animals in colder regions tend to have smaller body sizes to conserve heat.
 - b. Animals in warmer regions tend to have larger body sizes to maximize surface area for heat retention.
 - c. Animals in colder regions tend to have larger body sizes to reduce surface area relative to volume and minimize heat loss.
 - d. Body size of animals is not influenced by environmental temperature.
05. In which layer of the atmosphere does the ozone layer occur and absorb most of the sun's harmful UV radiation?
 - a. Troposphere
 - b. Stratosphere
 - c. Mesosphere
 - d. Thermosphere
06. Temperature decreases with altitude in the troposphere but increases with altitude in the stratosphere. What is the main reason for this reversal of temperature trend in the stratosphere?
 - a. Presence of water vapor in the stratosphere.
 - b. Absorption of UV radiation by ozone.
 - c. Increased density of air at higher altitudes.
 - d. Reflection of solar radiation by clouds.

Chapter 8

Evolution

Origin of life and Evolutionary theory

01. According to the *theory of spontaneous generation*
- life came out of decaying and rotting matter.
 - life came from outer space.
 - life comes only from pre-existing life.
 - life comes from chemical evolution.
02. Which of the following conditions is not considered essential for chemical evolution on early Earth?
- Presence of oxygen in the atmosphere.
 - High energy sources like lightning or UV radiation.
 - Reducing atmosphere with gases like CH_4 , NH_3 , H_2 , and H_2O .
 - Availability of simple inorganic molecules.
03. Gaseous mixture used by Miller for synthesis of amino acids through heat and electric discharge included
- methane, ammonia, hydrogen and water vapours.
 - methane, ammonia, nitrogen and water vapours.
 - methane, nitrogen, hydrogen and water vapours.
 - ammonia, carbon dioxide, nitrogen and water vapours.
04. You wanted to conduct Miller-Urey experiment and used a simplified apparatus with Tungsten electrodes. You heated the glassware at 500°C for 3 hours to remove any organic contaminants. Gases NH_3 , CH_4 , CO and H_2 were introduced followed by generating electric spark. Which of the essential ingredients did you forget to add?
- | | |
|-----------------|-------------------------|
| a. O_2 | b. H_2O |
| c. HCN | d. CHO |
05. The first cellular form of life
- P. originated about 2000 million years ago.
- Q. came out of decaying and rotting matter.
- R. were probably single-celled.
- S. developed in water.
- | | |
|---------------|------------------|
| a. P and Q | b. P and R |
| c. P, R and S | d. P, Q, R and S |

Classical Genetics

01. Which of the following statements about Mendel's laws of inheritance are *correct*?
 - P. They apply to both eukaryotes and prokaryotes.
 - Q. They are empirical laws derived from experimental observations.
 - R. They apply only to sexually reproducing eukaryotes.
 - S. The laws are based solely on the outcomes of monohybrid crosses.
 - a. Q and R
 - b. P and Q
 - c. P and S
 - d. P, R and S
02. Mendel's law of segregation, as applied to the behavior of chromosomes in meiosis, means that
 - a. pairing of homologs will convert one allele into the other, leading to separation of the types.
 - b. alleles of a gene separate from each other when homologs separate in meiosis I.
 - c. genes on the same chromosome will show 50% recombination.
 - d. alleles of a gene will be linked and passed on together through meiosis.
03. Which of the following statements *accurately* describe Mendel's law of segregation?
 - P. It is derived from the results of a monohybrid cross.
 - Q. It explains the segregation of alleles located on homologous chromosomes.
 - R. Segregation occurs during anaphase I of meiosis I.
 - S. Segregation occurs during metaphase I of meiosis I.
 - a. Q, R and S
 - b. P, Q and R
 - c. Q and R
 - d. P, Q, R and S
04. Independent assortment of genes occurs due to the orientation of chromosomes at
 - a. metaphase of mitosis
 - b. metaphase I of meiosis
 - c. metaphase II of meiosis
 - d. any phase of the cell division
05. Which of the following statements *accurately* describe the phenomenon of independent assortment?
 - P. It is derived from the results of a dihybrid cross.
 - Q. It occurs during metaphase I of meiosis I.
 - R. It applies to unlinked genes.
 - S. The independent transmission of genes in crosses is due to their location on different chromosomes.

Chapter 10

Molecular Genetics

Genome organization

01. Which of the following statements *accurately* define a genome?
- P. The complete set of genes present in a cell.
 - Q. The total genetic material of an organism.
 - R. Includes both DNA and genetic RNA.
 - S. In eukaryotes, include only nuclear DNA.
- a. P and Q
 - b. Q and R
 - c. R and S
 - d. P, Q, R and S
02. Which of the following genome feature increases as the complexity of an organism increases?
- P. Genome size
 - Q. Number of genes
 - R. Density of genes in the genome
 - S. Average size of individual genes
- a. P and Q
 - b. P and S
 - c. P, Q and S
 - d. R and S
03. It is known that there is a large difference in the DNA content between two organisms with similar developmental complexity. This is due to large differences in size of
- a. transposable elements, repetitive sequences and coding sequences.
 - b. transposable elements and repetitive sequences.
 - c. introns and coding sequences.
 - d. introns and transposable elements.
04. Which of the following is common to both *E. coli* and eukaryotic chromosomal DNA?
- a. DNA is circular.
 - b. DNA is negatively supercoiled.
 - c. DNA is contained in the nucleus.
 - d. DNA is packaged into nucleosomes.
05. C-value paradox suggests us about
- a. collinearity between genome size and complexity of organism.
 - b. non-collinearity between genome size and complexity of organism.
 - c. dosage compensation.
 - d. number of chromosome.

Biotechnology: Principles and Applications

Enzymes used in RDT

01. Which of the following are the characteristics of type II restriction endonucleases?
 - P. Nature of enzyme : Bifunctional enzyme with both endonuclease and methylase activity.
 - Q. Protein structure : Two identical subunits.
 - R. Restriction requirement : ATP, Mg^{2+} .
 - S. Cleavage sites : At or near restriction site.

a. Q and S	b. P and Q
c. P and S	d. R and S
 02. Which of the following statements about restriction endonucleases is *incorrect*?
 - a. These enzymes are derived from bacteria.
 - b. They cleave DNA at specific recognition sequences.
 - c. They exclusively cut single-stranded DNA molecules.
 - d. Their name originates from their role in restricting bacteriophage growth.
 03. Which of the following statements about restriction enzymes is *incorrect*?
 - a. Restriction enzymes cut DNA after recognizing specific sequences.
 - b. A restriction enzyme is not DNA-specific but sequence-specific.
 - c. Restriction enzymes function as both exonucleases and endonucleases.
 - d. Some restriction enzymes create 'sticky ends' by cutting the two DNA strands at slightly different points within their recognition site.
 04. SmaI and XmaI are neoschizomers. A circular DNA has two SmaI and one XmaI sites. How many fragments will be generated by digestion with XmaI?

a. 1	b. 2
c. 3	d. 4
 05. Which of the following statements are *not* true about restriction endonuclease?
 1. Restriction enzymes work in presence of Mg^{2+} .
 2. Type II restriction endonucleases do not require ATP for restriction activities.
- [GATE]

Chapter 12

Plant Physiology and Development

Plant-water relationship

01. Which of the following statements *accurately* describes diffusion?
 - a. Diffusion is very rapid over long distances.
 - b. Diffusion requires energy expenditure by the cell.
 - c. Diffusion is a passive process.
 - d. Diffusion occurs when molecules move from an area of lower concentration to one of higher concentration.
02. Osmosis is a form of diffusion in which
 - a. solute moves freely from a region of higher to lower concentration through a semipermeable membrane.
 - b. solvent moves through a semipermeable membrane from higher solute to lower solute concentration.
 - c. solvent moves through a semipermeable membrane from higher solvent to lower solvent concentration.
 - d. solute as well as solvent moves freely from a region of higher concentration to lower concentration through a semipermeable membrane.
03. Which of the following *best* differentiates simple diffusion from osmosis?
 - a. Simple diffusion requires a membrane, whereas osmosis does not.
 - b. Osmosis involves the movement of solute molecules, while simple diffusion involves solvent.
 - c. Osmosis occurs only in animal cells, while simple diffusion occurs in plant cells.
 - d. Simple diffusion is the movement of molecules along the concentration gradient; osmosis specifically refers to movement of water across a semi-permeable membrane.
04. Water potential:
 - a. is always higher in a solution than in pure water.
 - b. represents the potential energy of water within a system.
 - c. measures the active movement of water through a system.
 - d. is never equal to zero.
05. If a plant cell is placed in deionized water, the water potential of that cell becomes
 - a. more positive because the pressure potential becomes more positive.
 - b. more positive because the osmotic potential becomes more negative.
 - c. more negative because the pressure potential becomes more negative.
 - d. less negative because the pressure potential becomes more positive.

Chapter 13

Human Physiology

Nervous system

01. Which of the following statements are *correct* with respect to neuron classification?
- P. Sensory neurons are typically unipolar and transmit signals from sensory receptors to the CNS.
 - Q. Motor neurons are efferent neurons that relay signals from the CNS to muscles or glands.
 - R. Interneurons connect neurons within the CNS and are typically multipolar.
 - S. Bipolar neurons are common in the spinal cord and are involved in reflex arcs.
- a. P, Q and R
 - b. Q, R and S
 - c. P and R only
 - d. P, R and S
02. Which of the following statements about nervous tissue components are *correct*?
- P. Neurons are the structural and functional units of the nervous system.
 - Q. Glial cells support neurons, form myelin, and help maintain the extracellular environment.
 - R. Schwann cells are found in the central nervous system and produce myelin.
 - S. Oligodendrocytes can myelinate multiple axons in the central nervous system.
- a. P, Q and R
 - b. Q, R and S
 - c. P, Q and S
 - d. P and S only
03. Which of the following statements regarding the human brain are *correct*?
- P. The cerebellum helps coordinate voluntary movements and maintain posture and balance.
 - Q. The hypothalamus regulates body temperature, hunger, and circadian rhythms.
 - R. The medulla oblongata primarily integrates emotions like fear and anxiety.
 - S. The corpus callosum enables communication between the left and right cerebral hemispheres.
- a. P, Q and R
 - b. Q, R and S
 - c. P, Q and S
 - d. P and R
04. Which of the following statements about the human cerebral cortex are *true*?
- P. The frontal lobe is involved in decision-making, planning, and voluntary motor function.
 - Q. The occipital lobe processes auditory information and is involved in memory.
 - R. The parietal lobe integrates sensory input and is important for spatial orientation.
 - S. The temporal lobe is involved in auditory processing and language comprehension.
- a. P, Q and R
 - b. P, R and S
 - c. Q, R and S
 - d. P and S only

Chapter 14

Tools and Techniques

Biophysical and biochemical techniques

Electrophoresis

01. SDS-PAGE is commonly used to separate proteins. What is the primary role of SDS in this technique?
 - a. To denature the proteins and eliminate the influence of their native 3-D structure on their migration.
 - b. To create a porous gel matrix through which proteins can migrate based on their size.
 - c. To bind to proteins and impart a uniform negative charge proportional to their mass.
 - d. Reduces disulfide bonds to analyze individual polypeptide chains.
02. The rate of migration of a protein in an SDS-PAGE is not influenced by
 - a. size of the protein
 - b. charge density of the protein
 - c. pore size of the gel
 - d. strength of the electric field
03. SDS is used while separating proteins by SDS-PAGE because
 - a. it helps in solubilization of proteins thereby making it easier to separate.
 - b. it binds to proteins and confers uniform negative charge density.
 - c. decreases the surface tension of the buffer used for electrophoresis.
 - d. stabilizes the proteins.
04. What is the main difference between native PAGE and SDS-PAGE?
 - a. SDS-PAGE separates proteins based on charge, while native PAGE separates them based on size.
 - b. Native PAGE maintains the protein's native conformation, while SDS-PAGE denatures proteins.
 - c. SDS-PAGE is used for DNA separation, while native PAGE is for protein separation.
 - d. Native PAGE requires a reducing agent, while SDS-PAGE does not.
05. Which of the following statement is *false*?
 - a. β -mercaptoethanol acts as reducing agent and used to break disulfide bonds.
 - b. Bromophenol blue used as tracking dye during electrophoresis.
 - c. Coomassie brilliant blue used for staining proteins.
 - d. Sodium dodecyl sulphate is a cationic detergent.

[IISc]